

PUBLICATIONS ORIGINALES

ANNEE 1992

1. Brice A, Ravisé N, **Stevanin G**, Guggenheim M, Bouche P, Penet C, Agid Y and the CMT research group. Duplication within chromosome 17p11.2 in 12 families of French ancestry with Charcot-Marie-Tooth disease type 1a. *J Med Genet*, 1992; 29:807-812.

ANNEE 1993

2. Brice A, Boch AL, **Stevanin G**, Khatri C, Dubois B, Agid Y and the French Alzheimer's disease collaborative study group. Absence of amyloid precursor protein gene mutation (APP717 : Val->Ile) in 85 cases of early onset Alzheimer's disease. *J Neurol Neurosurg Psychiatry*, 1993; 56:112-113.
3. Khatri C, **Stevanin G**, Durr A, Chneiweiss H, Belal S, Seck A, Cann H, Brice A and Agid Y. Genetic heterogeneity of autosomal dominant cerebellar ataxia type I : clinical and genetic analysis of ten french families. *Neurology*, 1993; 43:1131-1137.
4. Gispert S, Twells R, Orozco G, Brice A, Weber J, Heredero L, Scheufler K, Allotey R, Nothers C, Hillermann C, Lunkes A, Khatri C, **Stevanin G**, Hernandez C, Margarino C, Klockgether T, Durr A, Chneiweiss H, Enczmann J, Farral M, Beckmann J, Mullan M, Wernet P, Agid Y, Freund HJ, Williamson R, Auburger G, Chamberlain S. Chromosomal assignment of the second (cuban) locus for autosomal dominant cerebellar ataxia (SCA2) to human chromosome 12q23-24.1. *Nature Genet* 1993; 4:295-299.
5. **Stevanin G**, Chneiweiss H, Leguern E, Ravisé N, Dürr A, Penet C, Agid Y and Brice A. Genetic heterogeneity of autosomal dominant cerebellar ataxia type I: evidence for the existence of a third locus. *Hum Mol Genet*, 1993; 2:1483-1485.
6. Cancel G, Khatri C, **Stevanin G**, Pages JC, Agid Y, Brice A and Cann HM. EDN1 is not a candidate gene for spinal cerebellar ataxia 1 (SCA1). *Hum Mol Genet*, 1993; 2:1477-1479.
7. Le réseau français d'étude de la Maladie d'Alzheimer. Recherche de mutations du précurseur de la protéine beta-amyloïde dans des formes précoce de Maladie d'Alzheimer. *Revue Neurol (Paris)*, 1993; 149:528-531.
8. Durr A, **Stevanin G**, Jedinak P, Penet C, Agid Y and Brice A. Familial essential tremor and idiopathic torsion dystonia are different genetic entities. *Neurology* 1993; 43:2212-2214.

ANNEE 1994

9. Durr A, Chneiweiss H, Khatri C, **Stevanin G**, Cancel G, Feingold J, Agid Y and Brice A. Phenotypic variability in autosomal dominant cerebellar ataxia type I is unrelated to genetic heterogeneity. *Brain* 1993; 116:1497-1508.
10. **Stevanin G**, Le Guern E, Ravisé N, Chneiweiss H, Dürr A, Cancel G, Vignal A, Boch AL, Ruberg M, Penet C, Pothin Y, Lagroua I, Haguenaou M, Rancurel G, Weissenbach J, Agid Y and Brice A. A third locus for autosomal dominant cerebellar ataxia type I maps to chromosome 14q24.3-qter; evidence for the existence of a fourth locus. *Am J Hum Genet* 1994a; 54:11-20.
11. Cancel G, Dürr A, **Stevanin G**, Chneiweiss H, Duyckaerts C, Serdaru M, de Toffol B, Agid Y and Brice A. Is DRPLA also linked to 14q? *Nature Genet* 1994; 6:8.
12. Benomar A, Le Guern E, Dürr A, Ouhabi H, **Stevanin G**, Yahyaoui M, Agid Y and Brice A. Autosomal dominant cerebellar ataxia with retinal degeneration (ADCA type II) is genetically different from ADCA type I. *Ann Neurol* 1994; 35:439-444.
13. Belal S, Cancel G, **Stevanin G**, Hentati F, Khatri C, Ben Hamida C, Auburger G, Agid Y, Ben Hamida M and Brice A. Clinical and genetic analysis of a large Tunisian family with ADCA type I linked to the SCA2 locus. *Neurology* 1994; 44:1423-1426.
14. **Stevanin G**, Sousa PS, Cancel G, Dürr A, Dubourg O, Nicholson GA, Weissenbach J, Jardim E, Agid Y, Cassa E and Brice A. The gene for Machado-Joseph disease maps to the same 3 cM interval as the spinal cerebellar ataxia 3 gene on chromosome 14q. *Neurobiol Dis* 1994b; 1:79-82.

ANNEE 1995

15. **Stevanin G**, Cancel G, Dürr A, Chneiweiss H, Dubourg O, Cann HM, Weissenbach J, Agid Y and Brice A. The gene for spinal cerebellar ataxia 3 (SCA3) is located in a region of approximately 3 cM on chromosome 14q24.3-q32.2. *Am J Hum Genet* 1995a; 56:193-201.
16. Fontaine B, Rime C-S, Hazan J, Dürr A, **Stevanin G**, Penet C, Reboul J, Agid Y, Lyon-Caen O, Baumann N, Weissenbach J and Brice A. Exclusion of the candidate locus FSP1 in 6 families with adult-onset autosomal dominant spastic paraparesia. *Neuromus Dis* 1995; 5:11-17.
17. Dubourg O, Dürr A, Cancel G, **Stevanin G**, Chneiweiss H, Penet C, Agid Y and Brice A. Analysis of the SCA1 CAG repeat in a large number of families with dominant ataxia: clinical and molecular correlations. *Ann Neurol* 1995; 37:176-180.

18. Benomar A, Krosl L, **Stevanin G**, Cancel G, LeGuern E, David G, Ouhabi H, Martin J-J, Dürr A, Zaim M, Ravisé N, Busque C, Penet C, VanRegemorter N, Weissenbach J, Yahyaoui M, Chkili T, Agid Y, VanBroeckhoven C and Brice A. The gene for autosomal dominant cerebellar ataxia with pigmentary macular dystrophy maps to chromosome 3p12-p21.1. *Nature Genet* 1995; 10:84-88.
19. **Stevanin G**, Cassa E, Cancel G, Abbas N, Dürr A, Jardim E, Agid Y, Sousa P, Brice A. Characterization of the unstable expanded CAG repeat in the MJD1 gene in 4 Brazilian families of Portuguese descent with Machado-Joseph disease. *J Med Genet* 1995b; 32:827-830.
20. Dürr A, **Stevanin G**, Cancel G, Abbas N, Agid Y, Feingold J, Brice A. Gender equality in Machado-Joseph disease. *Nature Genet* 1995; 11:118.
21. Cancel G, Abbas N, **Stevanin G**, Dürr A, Chneiweiss H, Néri C, Duyckaerts C, Penet C, Cann HM, Agid Y and Brice A. Marked phenotypic heterogeneity associated with expansion of a CAG repeat sequence at the spinocerebellar ataxia 3 / Machado-Joseph disease locus. *Am J Hum Genet* 1995; 57:809-816.
22. Gispert S, Lunkes A, Santos N, Orozco G, Ha-Hao D, Ratzlaff T, Aguiar J, Torrens I, Heredero L, Brice A, Cancel G, **Stevanin G**, Vernant JC, Dürr A, Lepage-Lezin A, Belal S, Ben-Hamida M, Pulst S, Rouleau G, Weissenbach J, LePaslier D, Kucherlapati R, Montgomery K, Fukui K, Auburger G. Localisation of the candidate gene Diamino Acid Oxidase outside the refined 1 centiMorgan region of spinocerebellar ataxia 2 (SCA2). *Am J Hum Genet* 1995; 57:972-975.
23. Cancel G, **Stevanin G**, Dürr A, Chneiweiss H, Penet C, Pothin Y, Agid Y and Brice A. SCA2 is not a major locus for French autosomal dominant cerebellar ataxia type I families. *Am J Med Genet* 1995; 60:382-385.
24. **Stevanin G**, Cancel G, Didierjean O, Dürr A, Abbas N, Cassa E, Feingold J, Agid Y, Brice A. Linkage disequilibrium at the Machado-Joseph disease / spinocerebellar ataxia 3 locus: evidence for a common founder effect in French and Portuguese-Brazilian families as well as a second ancestral Portuguese-Azorean mutation. *Am J Hum Genet* 1995c; 57:1247-1250.
25. Dubourg O, Dürr A, Chneiweiss H, **Stevanin G**, Cancel G, Penet C, Agid Y et Brice A. La forme ataxo-choréique de DRPLA existe-t-elle en Europe : recherche de la mutation dans 120 familles. *Rev Neurol (Paris)* 1995; 11:657-660.
26. Trottier Y, Lutz Y, **Stevanin G**, Imbert G, Devys D, Cancel G, Saudou F, Weber C, David G, Tora L, Agid Y, Brice A, Mandel J-L. Polyglutamine expansion as a pathological epitope detected in Huntington's disease, in spinocerebellar ataxia 1 and 3 and two additional cerebellar ataxias. *Nature* 1995; 378:403-405.
27. Dürr A, Smadja D, Cancel G, Lezin A, **Stevanin G**, Mikol J, Bellance R, Buisson GG, Chneiweiss H, Dellanave J, Agid Y, Brice A, Vernant JC. Autosomal dominant cerebellar ataxia type I in Martinique (French West Indies): clinical and neuropathological analysis of 53 patients from three unrelated SCA2 families. *Brain* 1995; 118:1573-1581.

ANNEE 1996

28. Lindblad K, Lunkes A, Maciel P, **Stevanin G**, Zander C, Klockgether T, Ratzlaff T, Brice A, Rouleau G, Hudson T, Auburger G, Schalling M. Mutation detection in Machado-Joseph disease using Repeat Expansion Detection. *Molecular Medicine* 1996; 2:77-85.
29. Lezin A, Cancel G, **Stevanin G**, Smadja D, Vernant JC, Dürr A, Martial J, Buisson GG, Bellance R, Chneiweiss H, Agid Y, Brice A. Autosomal dominant cerebellar ataxia type I in Martinique (French West Indies): genetic analysis of three unrelated SCA2 families. *Hum Genet* 1996; 97:671-676.
30. Dürr A, **Stevanin G**, Cancel G, Duyckaerts C, Abbas N, Didierjean O, Chneiweiss H, Benomar A, Lyon-Caen O, Julien J, Serdaru M, Penet C, Agid Y, Brice A. Spinocerebellar ataxia 3 and Machado-Joseph disease: clinical, molecular and neuropathological features. *Ann Neurol* 1996; 39:490-499.
31. Igarashi S, Takiyama Y, Cancel G, Rogaeva AE, Sasaki H, Wakisaka A, Zhou Y-X, Takano H, Endo K, Sanpei K, Oyake M, Tanaka H, **Stevanin G**, Abbas N, Dürr A, Rogaeve EI, Sherrington R, Tsuda T, Ikeda M, Cassa E, Nishizawa M, Benomar A, Julien J, Weissenbach J, Wang G-X, Agid Y, St George-Hyslop P, Brice A, Tsuji S. Intergenerational instability of the CAG array of the gene for Machado-Joseph disease (MJD1) is affected by the genotype of the normal chromosome: implications for the molecular mechanisms of the instability of the CAG repeat. *Hum Mol Genet* 1996; 5:923-932.
32. Lindblad K, Savontaus M-L, **Stevanin G**, Holmberg M, Digre K, Zander C, Ehrsson H, David G, Benomar A, Nikoskelainen E, Trottier Y, Holmgren G, Ptacek LJ, Anttinen A, Brice A, Schalling M. An expanded CAG repeat sequence in spinocerebellar ataxia type 7. *Genome Research* 1996; 6:965-971.
33. David G, Giunti P, Abbas N, Coullin P, **Stevanin G**, Horta W, Gemmill R, Weissenbach J, Wood N, Cunha S, Drabkin H, Harding AE, Agid Y, Brice A. The gene for ADCA type II is located in a 5 cM region in 3p12-p13: Genetic and physical mapping of the SCA7 locus. *Am J Hum Genet* 1996; 59:1328-1336.
34. **Stevanin G**, Trottier Y, Cancel G, Dürr A, David G, Didierjean O, Bürk K, Imbert G, Saudou F, Abada M, An I, Benomar A, Abbas N, Klockgether T, Grid D, Agid Y, Mandel J-L, Brice A. Screening for proteins with polyglutamine expansions in autosomal dominant cerebellar ataxias. *Hum Mol Genet* 1996; 5:1887-1892.
35. Imbert G, Saudou F, Yvert G, Devys D, Trottier Y, Garnier J-M, Weber C, Mandel J-L, Cancel G, Abbas N, Dürr A, Didierjean O, **Stevanin G**, Agid Y, Brice A. Cloning of the gene for spinocerebellar ataxia 2 reveals

a locus with high sensitivity to expanded CAG/glutamine repeats and high instability. *Nature Genet* 1996;17:285-291.

ANNEE 1997

36. Krols L, Martin J-J, David G, Van Regemorter N, Benomar A, Löfgren A, **Stevanin G**, Dürr A, Brice A, Van Broeckhoven C. Refinement of the locus for autosomal dominant cerebellar ataxia type II to chromosome 3p21.1-14.1. *Hum Genet* 1997;99:225-232.
37. Cancel G, Dürr A, Didierjean O, Imbert G, Bürk K, Lezin A, Belal S, Benomar A, Abada-Bendib M, Vial C, Guimaraes J, Chneiweiss H, **Stevanin G**, Yvert G, Abbas N, Saudou F, Lebre A-S, Yahyaoui M, Hentati F, Vernant J-C, Klockgether T, Mandel J-L, Agid Y, Brice A. Molecular and clinical correlations in spinocerebellar ataxia 2 : a study of 32 families. *Hum Mol Genet* 1997;6:709-715.
38. Bürk K, **Stevanin G**, Didierjean O, Cancel G, Trottier Y, Skajel M, Abele M, Brice A, Dichgans J, Klockgether T. Clinical and genetic analysis of three German kindreds with autosomal dominant cerebellar ataxia type I linked to the SCA2 locus. *J Neurol* 1997;244:256-261.
39. **Stevanin G**, Lebre A-S, Mathieu C, Cancel G, Abbas N, Didierjean O, Dürr A, Trottier Y, Agid Y, Brice A. Linkage Disequilibrium Between the Spinocerebellar Ataxia 3/Machado-Joseph Disease Mutation and Two Intragenic Polymorphisms, One of Which Affects the Stop Codon (X359Y). *Am J Hum Genet* 1997;60:1848-1552.
40. Schürhoff F, **Stevanin G**, Trottier Y, Bellivier F, Mouren-Siméoni M-C, Brice A, Leboyer M. A preliminary study on early onset schizophrenia and bipolar disorder : large polyglutamine expansions are not involved. *Psychiatry Res* 1997;72:141-144.
41. Bürk K, Fetter M, Skajel M, Laccone F, **Stevanin G**, Dichgans J, Klockgether T. Saccade velocity in idiopathic and autosomal dominant cerebellar ataxia. *J Neurol Neurosurg Psychiatry* 1997;62:662-664.
42. David G, Abbas N, **Stevanin G**, Dürr A, Yvert G, Cancel G, Weber C, Imbert G, Saudou F, Antoniou E, Drabkin H, Giunti P, Benomar A, Ruberg M, Agid Y, Mandel J-L, Brice A. Cloning of the gene for autosomal dominant cerebellar ataxia with progressive macular dystrophy (SCA7) reveals a highly unstable CAG repeat expansion. *Nature Genet* 1997;17:65-70.
43. Gourfinkel-An I, Cancel G, Trottier Y, Devys D, Tora L, Lutz Y, Imbert G, Saudou F, **Stevanin G**, Agid Y, Brice A, Mandel J-L, Hirsch E. Differential distribution of the normal and mutated forms of Huntingtin in the human brain. *Ann Neurol* 1997;42:712-719.
44. **Stevanin G**, Dürr A, David G, Didierjean O, Lebre A-S, Cancel G, Penet C, Agid Y, Brice A. Clinical and molecular features of spinocerebellar ataxia type 6. *Neurology* 1997;49:1243-1246.

ANNEE 1998

45. Cancel G, Gourfinkel-An I, **Stevanin G**, Didierjean O, Abbas N, Hirsch E, Agid Y, Brice A. Somatic mosaicism of the CAG repeat expansion in spinocerebellar ataxia type 3/Machado-Joseph disease. *Hum Mut* 1998; 11 :23-27.
46. David G, Dürr A, **Stevanin G**, Cancel G, Abbas N, Benomar A, Belal S, Lebre A, Abada-Bendib M, Grid D, Holmberg M, Yahyaoui M, Hentati F, Chkili T, Agid Y, Brice A. Molecular and clinical correlations in autosomal dominant cerebellar ataxia with progressive macular dystrophy (SCA7). *Hum Mol Genet* 1998;7:165-170.
47. Lyoo C-H, Hur K, Choi Y-C, Lee S-C, **Stevanin G**, David G, Brice A, Lee M-S. CAG repeat expansion in SCA7 in Korean families presenting clinical features compatible with ADCA type II. *J Kor Neurol Ass* 1998;16:341-352.
48. **Stevanin G**, Giunti P, David G, Belal S, Dürr A, Wood N, Brice A. De novo expansion on intermediate alleles in spinocerebellar ataxia 7. *Hum Mol Genet* 1998;7:1809-1813.
49. Takano H, Cancel G, Ikeuchi T, Lorenzetti D, Mawad R, **Stevanin G**, Didierjean O, Dürr A, Oyake M, Shimohata T, Sasaki R, Koide R, Igarashi S, Hayashi S, Takiyama Y, Nishizawa M, Tanaka H, Zoghbi H, Brice A, Tsuji S. Population genetics of dominantly inherited spinocerebellar ataxias with CAG repeat expansions in Japanese and Caucasian : tight association of the prevalence rates with the frequencies of the intermediate alleles. *Am J Hum Genet* 1998 ;63 :1060-1066.

ANNEE 1999

50. Dichgans M, Schöls L, Herzog J, **Stevanin G**, Weirich-Schwaiger H, Rouleau G, Bürk K, Klockgether T, Zühlke C, Laccone F, Riess O, Gasser T. Spinocerebellar ataxia type 6 : evidence for a strong founder effect among German families. *Neurology*, 1999 ;52 :849-851.
51. Didierjean O, Cancel G, **Stevanin G**, Dürr A, Bürk K, Benomar A, Lezin A, Belal S, Abada-Bendib M, Klockgether T, Brice A. Linkage disequilibrium at the SCA2 locus. *J Med Genet*, 1999; 36:415-417.
52. Giunti P, **Stevanin G**, Worth P, David G, Brice A, Wood NW. Molecular and clinical study of 18 families with ADCA type II: evidence for genetic heterogeneity and *de novo* mutation. *Am J Hum Genet* 1999; 64:1594-1603.

53. Grewal RP, Cancel G, Leeflang EP, Dürr A, McPeek MS, Draghinas D, Yao X, **Stevanin G**, Alnot M-O, Brice A, Arnheim N. French Machado-Joseph disease patients do not exhibit gametic segregation distortion: a sperm typing analysis. *Hum Mol Genet* 1999; 8:1779-1784.
54. **Stevanin G**, Herman A, Brice A, Dürr A. Clinical and MRI findings in spinocerebellar ataxia 5. *Neurology* 1999;53:1355-1357.
55. **Stevanin G**; David G; Dürr A; Giunti P; Benomar A; Abada-Bendib M; Lee M.S; Agid Y; Brice A. Multiple origins of the spinocerebellar ataxia 7 (SCA7) mutation revealed by linkage disequilibrium studies with closely flanking markers, including an intragenic polymorphism (G³¹⁴⁵TG/A³¹⁴⁵TG). *Eur J Hum Genet* 1999; 7:889-896.

ANNEE 2000

56. Zander C, Yuan Q-P, Lindblad K, **Stevanin G**, Dürr A, Davoine C-S, Hazan J, Fontaine B, Brice A, Schalling M. No evidence for long CAG/CTG repeats in families with spastic paraparesis linked to chromosome 2p21-24. *Neurosci lett* 2000; 21:41-44.
57. **Stevanin G**, Herman H, Dürr A, Jodice C, Frontali M, Agid Y, Brice A. Are expansions at the SCA8 locus rare polymorphisms? *Nature Genet* 2000; 24:213.
58. Herman A*, **Stevanin G***, Netter J-C, Rascol O, Brassat D, Calvas P, Camuzat A, Yuan QP, Schalling M, Dürr A, Brice A (*co-first authors). Mapping of *spinocerebellar ataxia 13* to chromosome 19q13.3-q13.4 in a family with autosomal dominant cerebellar atrophy and mental retardation. *Am J Hum Genet* 2000, 67:229-235.
59. Illarioshkin SN, Ivanova-Smolenskaya IA, Rahmonov RA, Markova ED, **Stevanin G**, Brice A. Clinical and genetic study of familial essential tremor in an isolate of Northern Tajikistan. *Mov Disord* 2000, 15:1020-1023.

ANNEE 2001

60. Gaspar C, Lopes-Cendes I, Hayes S, Goto J, Arvidsson K, Dias A, Silveira I, Maciel P, Coutinho P, Lima M, Zhou YX, Soong BW, Watanabe M, Giunti P, **Stevanin G**, Riess O, Sasaki H, Hsieh M, Nicholson GA, Brunt E, Higgins JJ, Lauritzen M, Tranebjærg L, Volpini V, Wood N, Ranum L, Tsuji S, Brice A, Sequeiros J, Rouleau GA. Ancestral Origins of the Machado-Joseph Disease Mutation: A Worldwide Haplotype Study. *Am J Hum Genet* 2001; 68:523-528.
61. Fujigasaki H, Martin JJ, De Deyn P, Camuzat A, Deffond D, **Stevanin G**, Dermaut B, Van Broeckhoven C, Durr A, Brice A. CAG repeat expansion in the TBP gene causes autosomal dominant cerebellar atrophy. *Brain* 2001; 124:1939-1947.
62. Zander C, Takahashi J, El-Hachimi KH, Fujigasaki H, Albanese V, Lebre AS, **Stevanin G**, Duyckaerts C, Brice A. Similarities between spinocerebellar ataxia type 7 (SCA7) cell models and human brain : proteins recruited in inclusions and activation of caspase-3. *Hum Mol Genet* 2001;10:2569-2579.
63. Holmes SE, O'Hearn E, Rosenblatt A, Callahan C, Hwang HS, Ingersoll-Ashworth RG, Fleischer A, **Stevanin G**, Brice A, Potter NT, Ross CA, Margolis RL. A repeat expansion in the gene encoding junctophilin-3 is associated with Huntington's disease-like 2. *Nature Genet* 2001; 29 :377-378.

ANNEE 2002

64. Fujigasaki H, Tardieu S, Camuzat A, **Stevanin G**, LeGuern E, Matsuura T, Ashizawa T, Durr A, Brice A. Spinocerebellar ataxia 10 in the French population. *Ann Neurol* 2002;51:408.
65. **Stevanin G**, Camuzat A, Holmes SE, Julien C, Sahloul R, Dodé C, Hahn-Barma V, Ross CA, Margolis RL, Durr A, Brice A.. CAG/CTG repeat expansions at the Huntington's Disease-Like 2 locus are rare in Huntington's disease patients. *Neurology* 2002;58:965-967.
66. Aleman TS, Cideciyan AV, Volpe NJ, **Stevanin G**, Brice A, Jacobson SG. Spinocerebellar ataxia type 7 (SCA7) shows a cone-rod dystrophy phenotype. *Exp Eye Res* 2002;74:737-745.
67. Takahashi J, Fujigasaki H, Zander C, El Hachimi KH, **Stevanin G**, Durr A, Lebre AS, Yvert G, Trottier Y, de Thé H, Hauw JJ, Duyckaerts C, Brice A. Two populations of neuronal intranuclear inclusions in SCA7 differ in size and promyelocytic leukaemia protein content. *Brain* 2002;125:1534-1543.

ANNEE 2003

68. **Stevanin G**, Fujigasaki H, Lebre AS, Camuzat A, Jeannequin C, Dodé C, Takahashi J, San C, Bellance R, Brice A, Durr A. Huntington's disease like phenotype due to trinucleotide repeat expansions in the TBP and JPH3 genes. *Brain* 2003 ; 126:1599-1603.
69. Takahashi J, Fujigasaki H, Iwabuchi K, Bruni AC, Uchihara T, El Hachimi KH, **Stevanin G**, Durr A, Lebre AS, Trottier Y, de Thé H, Tanaka J, Hauw JJ, Duyckaerts C, Brice A. PML nuclear bodies and neuronal intranuclear inclusion in polyglutamine diseases. *Neurobiol dis* 2003; 13 :230-237.

ANNEE 2004

70. Stevanin G, Bouslam N, Thobois S, Azzedine H, Ravaux L, Boland A, Schalling M, Broussolle E, Durr A, Brice A. Spinocerebellar ataxia with sensory neuropathy maps to the SCA25 locus on chromosome 2p. *Ann Neurol* 2004; 55:97-104.
71. Moreira MC, Klur S, Watanabe M, Németh AH, Le Ber I, Moniz JC, Tranchant C, Aubourg P, Tazir M, Schöls L, Pandolfo M, Schulz JB, Pouget J, Calvas P, Shizuka-Ikeda M, Shoji M, Tanaka M, Izatt L, Shaw CE, M'Zahem A, Dunne E, Bomont P, Benhassine T, Bouslam N, Stevanin G, Brice A, Guimaraes J, Mendonça P, Barbot C, Coutinho P, Sequeiros J, Dürr A, Warter JM, Koenig M. Senataxin, the orthologue of a yeast RNA helicase, is mutated in ataxia-ocular apraxia 2. *Nature Genet* 2004; 36:225-227.
72. Leber I, Bouslam N, Rivaud-Péchoux S, Guimaraes J, Benomar A, Chamayou C, Goizet C, Moreira MC, Agid Y, Koenig M, Stevanin G, Brice A, Durr A. Frequency and phenotypic spectrum of AOA2 : a clinical and genetic study in 18 patients. *Brain* 2004; 127:759-767.
73. Stevanin G, Hahn V, Lohmann E, Bouslam N, Gouttard M, Soumphonphakdy C, Welter ML, Ollagnon-Roman E, Lemainque A, Ruberg M, Brice A, Durr A. Mutation in the catalytic domain of PKCγ and extension of the phenotype associated with spinocerebellar ataxia 14. *Arch Neurol* 2004; 61:1242-1248.
74. Stevanin G, Durr A, Dussert C, Penet C, Brice A. Mutations in the FGF14 gene are not a major cause of spinocerebellar ataxia in Caucasians. *Neurology* 2004; 63:936.
75. Durr A, Camuzat A, Colin E, Tallaksen C, Hannequin D, Coutinho P, Fontaine B, Rossi A, Gil R, Rouselle C, Ruberg M, Stevanin G, Brice A. Atlastin1 mutations are frequent in young onset autosomal dominant spastic paraparesis. *Arch Neurol* 2004; 61:1867-1872.

ANNEE 2005

76. Bouslam N, Benomar A, Azzedine A, Bouhouche A, Namekawa M, Klebe S, Charon C, Durr A, Ruberg M, Brice A, Yahyaoui M, Stevanin G. Mapping of a new form of pure autosomal recessive spastic paraparesis (SPG28) to chromosome 14q. *Ann Neurol* 2005; 57:567-571.
77. Van de Warrenburg BPC, Hendricks H, Durr A, Van Zuijlen MCA, Stevanin G, Camuzat A, Sinke RJ, Brice A, Kremer BPH. Age at onset variance analysis in spinocerebellar ataxias: a study in a large Dutch-French cohort. *Ann Neurol* 2005; 57:505-512.
78. Ribai P, Stevanin G, Trefouret S, Nelson I, Soumphonphakdy C, Pouget J, Durr A, Brice A. Extension of the SPG26 phenotype in a Spanish family and refinement of its locus on chromosome 12. <http://jmg.bmjjournals.com/cgi/eletters/42/1/80?ck=nck#189>. *J Med Genet* 2005; e-letter (7 June 2005).
79. Klebe S, Durr A, Rentschler A, Hahn-Barma V, Abele M, Bouslam N, Schöls L, Jedynak P, Forlani S, Dussert C, Agid Y, Bauer P, Globas C, Wüllner U, Brice A, Riess O, Stevanin G. New mutations of Protein Kinase Cy associated with Spinocerebellar Ataxia Type 14 (SCA14). *Ann Neurol* 2005; 58:720-729.

ANNEE 2006

80. Namekawa M, Ribai P, Nelson I, Forlani S, Fellman F, Goizet C, Depienne C, Stevanin G, Ruberg M, Durr A, Brice A. SPG3A is the most frequent cause of hereditary spastic paraparesis with onset before age ten. *Neurology* 2006; 66:112-114.
81. Ikeda Y, Dick KA, Weatherspoon M, Gincel D, Armburst KR, Dalton JC, Stevanin G, Durr A, Zühlke C, Bürk K, Clark HB, Brice A, Rothstein JD, Schut LJ, Day JW, Ranum LPW. Spectrin mutations cause spinocerebellar ataxia type 5. *Nature Genet* 2006, 38:184-190 (Advance online publication Jan 22, 2006).
82. Latouche M, Fragner P, Martin E, El Hachimi KH, Zander C, Sittler A, Ruberg M, Brice A, Stevanin G. A Polyglutamine and polyalanine expansions in ataxin 7 result in different types of aggregation and levels of toxicity. *Mol Cell Neurosci* 2006; 31:438-445 (Advance online publication Dec 1, 2005).
83. Cagnoli C, Stevanin G, Michielotto C, Gerbino Promis G, Brussino A, Pappi P, Durr A, Dragone E, Viemont M, Gellera C, Brice A, Migone N, Brusco A. Large pathogenic expansions in the SCA2 and SCA7 genes can be detected by fluorescent repeat-primed polymerase chain reaction assay. *J Mol Diagn* 2006, 8:128-132.
84. Elleuch N, Depienne C, Benomar A, Ouvrard Hernandez AM, Ferrer X, Fontaine B, Grid D, Tallaksen CME, Zemmouri R, Stevanin G, Durr A, Brice A. Mutation analysis of the paraplegin gene (SPG7) in patients with hereditary spastic paraparesis. *Neurology* 2006, 66:654 -659.
85. Waters MF, Minassian NA, Stevanin G, Figueroa KP, Bannister JPA, Nolte D, Mock AF, Evidente VG, Fee D, Muller U, Durr A, Brice A, Papazian DM, Pulst SM. Mutations in the voltage-gated potassium channel KCNC3 cause degenerative and developmental CNS phenotypes. *Nature Genet*, 2006, 38: 447-451 (Advance online February 26).
86. Lossos A, Stevanin G, Meiner V, Argov Z, Bouslam N, Newman JP, Gomori JM, Klebe S, Lerer I, Elleuch N, Silverstein S, Durr A, Abramsky O, BenNariah Z, Brice A. Hereditary spastic paraparesis with thin corpus callosum: reduction of the SPG11 interval and evidence for further genetic heterogeneity. *Arch Neurol* 2006, 63:756-760.
87. Namekawa M, Nelson I, Ribai P, Durr A, Denis E, Stevanin G, Ruberg M, Brice A. A founder effect and mutational hot spots may contribute to the most frequent mutations in the SPG3A gene. *Neurogenet* 2006, 7:131-132 (Advance online April 13).

88. Klebe S, Azzedine H, Durr A, Bastien P, Bouslam N, Elleuch N, Forlani S, Charon C, Koenig M, Melki J, Brice A, **Stevanin G**. Autosomal recessive spastic paraparesis (SPG30) with mild ataxia and sensory neuropathy maps to chromosome 2q37.3. *Brain* 2006; 129:1456-1462 (Advance online Jan 24).
89. Ribai P, **Stevanin G**, Bouslam N, Pontier B, Nelson I, Fontaine B, Dussert C, Charon C, Durr A, Brice A. A new phenotype linked to SPG27 and refinement of the critical region on chromosome 10. *J Neurol* 2006; 253:714-719 (Advance online March 6).
90. **Stevanin G**, Montagna G, Azzedine H, Valente EM, Durr A, Scarano V, Bouslam N, Cassandrini D, Denora PS, Criscuolo C, Belarbi S, Orlacchio A, Jonveaux P, Silvestri G, Ouvrard-Hernandez AM, DeMichele G, Tazir M, Mariotti C, Brockmann K, Malandrini A, van der Knapp MS, Neri M, Tonekaboni H, Melone MAB, Tessa A, Dotti MT, Tosetti M, Pauri F, Federico A, Casali C, Cruz VT, Loureiro JL, Zara F, Forlani S, Bertini E, Couthino P, Filla A, Brice A, Santorelli FM. Spastic paraparesis with thin corpus callosum; description of 20 new families, refinement of the SPG11 locus, candidate gene analysis and evidence of genetic heterogeneity. *Neurogenet* 2006; 7:149-156 (Advance online May 13).
91. LeBer I, Clot F, Vercueil L, Camuzat A, Viémont M, Benammar N, De Liège P, Ouvrard-Hernandez AM, Pollak P, **Stevanin G**, Brice A, Durr A. Predominant dystonia with marked cerebellar atrophy: a rare phenotype in familial dystonia. *Neurology* 2006; 67:1769-1773 (Advance online Nov 18).

ANNEE 2007

92. Depienne C, Ferdiko E, Forlani S, Cazeneuve C, Ribai P, Feki I, Tallaksen C, Nguyen K, Stankoff B, Ruberg M, **Stevanin G**, Durr A, Brice A. Exon deletions of SPG4 are a frequent cause of hereditary spastic paraparesis. *J Med Genet* 2007; 44:281-284 (Advance online Nov 10, 2006).
93. Klebe S, Lacour A, Durr A, Stojkovic T, Depienne C, Forlani S, Poea-Guyon S, Vuillaume I, Sablonniere B, Vermersch P, Brice A, **Stevanin G**. *NIPA1 (SPG6)* mutations are a rare cause of autosomal dominant spastic paraparesis in Europe. *Neurogenet* 2007; 8:155-157 (Advance online Jan 5).
94. Bouslam N, Bouhouche A, Benomar A, Hanein S, Klebe S, Azzedine H, Di Giandomenico S, Boland-Augé A, Santorelli FM, Durr A, Brice A, Yahyaoui M, **Stevanin G**. A novel locus for autosomal recessive spastic ataxia on chromosome 17p. *Hum Genet* 2007; 121:413-420 (Advance online Feb 2).
95. **Stevanin G***, Santorelli F*, Azzedine H*, Coutinho P, Chomilier J, Denora PS, Martin E, Ouvrard-Hernandez AM, Tessa A, Bouslam N, Lossos A, Charles P, Loureiro JL, Elleuch N, Confavreux C, Cruz VT, Ruberg M, Leguern E, Grid D, Tazir M, Fontaine B, Filla A, Bertini E, Durr A, Brice A (*co-first authors). Mutations in the *SPG11* gene, encoding spatacsin, are a major cause of spastic paraparesis with thin corpus callosum. *Nature Genet* 2007; 39 (3): 366-372.
96. Latouche M, Lasbleiz C, Martin E, Monnier V, Debeir T, Prigent A, Muriel MP, Morel L, Ruberg M, Brice A, **Stevanin G***, Tricoire H (*corresponding author). A conditional pan-neuronal Drosophila model of SCA7 with a reversible adult phenotype suitable for identifying modifier genes. *J Neurosci* 2007; 27 (10): 2483-2492.
97. Cagnoli C, Brussino A, DiGregorio E, Brusco A, **Stevanin G**, Durr A, Brice A. The (-16C>T) substitution in the *PLEKHG4* gene is not present among European ADCA patients. *Mov Disord* 2007; 22:752-753 (Advance online Fev 8).
98. Feki I, Miladi MI, Elleuch N, Boukhris A, **Stevanin G**, Brice A, Mhiri C. Paraplégie spasmodique familiale avec amyotrophie sévère des mains (syndrome de Silver ?). *Revue Neurol (Paris)* 2007; 163:476-479.
99. **Stevanin G***, Paternotte C*, Coutinho P, Klebe S, Elleuch N, Loureiro JL, Denis E, Cruz VT, Durr A, Prudhomme JF, Weissenbach J, Brice A, Hazan J (*co-first authors). A novel locus for autosomal recessive spastic paraparesis (SPG32) maps to chromosome 14q12-q21. *Neurology* 2007; 68: 1837-1840.
100. Klebe S, Faivre L, Forlani S, Dussert C, Tourbah A, Brice A, **Stevanin G**, Durr A. Another mutation in cysteine 131 in Protein Kinase Cy as a cause of Spinocerebellar Ataxia Type 14. *Arch Neurol* 2007; 64:913-914.
101. Klebe S, Durr A, Bouslam N, Grid D, Paternotte C, Depienne C, Hanein S, Bouhouche A, Elleuch N, Azzedine H, Poea-Guyon S, Forlani S, Denis E, Charon C, Hazan J, Brice A, **Stevanin G**. Spastic Paraparesis 5: Locus Refinement, Candidate Gene Analysis and Clinical Description. *Am J Med Genet Part B* 2007; 144:854-861 (Advance online May 14, 2007).
102. Charles P, Camuzat A, Benammar N, Sellal F, Destée A, Bonnet AM, Lesage S, LeBer I, **Stevanin G**, Durr A, Brice A and the French Parkinson's Disease Genetics Study Group Are interrupted SCA2 CAG repeat expansions responsible for Parkinsonism? *Neurology* 2007; 69:1970-1975 (Advance online June 13, 2007).
103. Hanein S, Durr A, Ribai P, Forlani S, Leutenegger AL, Nelson I, Babron MC, Elleuch N, Depienne C, Charon C, Brice A, **Stevanin G**. A novel locus for autosomal dominant "uncomplicated" hereditary spastic paraparesis maps to chromosome 8p21.1-q13.3. *Hum Genet* 2007; 122:261-273.
104. Elleuch N*, Bouslam N*, Hanein S, Lossos A, Hamri A, Klebe S, Meiner V, Birouk N, Lerer I, Grid D, Bacq D, Tazir M, Zelenika D, Argov Z, Durr A, Yahyaoui M, Benomar A, Brice A, **Stevanin G** (*co-first authors). Refinement of the SPG15 candidate interval and phenotypic heterogeneity in three large Arab families. *Neurogenet* 2007; 8:307-315.

105. Depienne C, Ferdiko E, Faucheu JM, Forlani S, Bricka B, Goizet C, Lesourd S, **Stevanin G**, Ruberg M, Durr A, Brice A. A *de novo* SPAST mutation leading to somatic mosaicism is associated with a later age at onset in HSP. *Neurogenet* 2007, 8:231-233 (Advance online June 28, 2007).
106. DelBo R, DiFonzo A, Ghezzi S, Locatelli F, **Stevanin G**, Costa A, Corti S, Bresolin N, Comi GP. SPG11: a consistent clinical phenotype in a family with homozygous Spatacsin truncating mutation. *Neurogenet* 2007, 8:301-305.
107. Martins S, Calafell F, Gaspar C, Wong VCN, Silveira I, Nicholson GA, Brunt ER, Tranebjærg L, **Stevanin G**, Hsieh M, Soong BW, Loureiro L, Durr A, Tsuji S, Watanabe M, Jardim LB, Giunti P, Riess O, Ranum LPW, Brice A, Rouleau GA, Coutinho P, Amorim A, Sequeiros J. Asian origin for the Worldwide—spread mutational event in Machado-Joseph disease. *Arch Neurol* 2007, 64:1502-1508.

ANNEE 2008

108. Saint-Martin C, Bouteiller D, **Stevanin G**, Popescu C, Charon C, Ruberg M, Baulac M, LeGuern E, Labauge P, Depienne C. Refinement of the 2p11.1-q12.2 locus responsible for Cortical Tremor associated with epilepsy and exclusion of candidate genes. *Neurogenet* 2008, 9:69-71 (Advance online Nov 9, 2007).
109. **Stevanin G***, Azzedine H*, Denora P*, Boukhris A, Tazir M, Lossos A, Rosa AL, Lerer I, Hamri A, PM Serrano Allegria, Loureiro J, Tada M, Hannequin D, Anheim M, Goizet C, Gonzales V, Kjersti Erichsen A, Leber I, Forlani S, Iwabuchi K, Meiner V, Uyanik G, Feki I, Pasquier F, Belarbi S, Cruz VT, Depienne C, Truchetto J, Garrigues G, Tallaksen C, Tranchant C, Nishizawa M, Vale dos Santos J, Coutinho P, Santorelli FM, Mhiri C, Brice A, Durr A, on behalf of the SPATAX consortium (*cofirst-authors). Mutations in SPG11 are frequent in autosomal recessive spastic paraplegia with thin corpus callosum, cognitive decline and lower motor neuron degeneration. *Brain* 2008, 131:772-784 (Advance online Dec 13, 2007).
110. Boukhris A, Feki I, Denis E, Miladi MI, Brice A, Mhiri C, **Stevanin G**. Spastic paraplegia 15: linkage and clinical description of three Tunisian families. *Mov Disord* 2008, 23:429-433 (Advance online Dec 20, 2007).
111. Boukhris A, **Stevanin G***, Feki I, Denis E, Elleuch N, Miladi MI, Truchetto J, Denora P, Belal S, Mhiri C, Brice A (*corresponding author). Hereditary spastic paraplegia with mental impairment and thin corpus callosum in Tunisia: SPG11, SPG15 and further genetic heterogeneity. *Arch Neurol* 2008, 65:393-402.
112. Panza E, Pippucci T, Cusano R, LoNigro C, Pradella L, Contardi S, Rouleau GA, **Stevanin G**, Ravazzolo R, Liguori R, Montagna P, Romeo G, Seri M. Refinement of the SPG9 locus on chromosome 10q23.3-24.2 and exclusion of candidate genes. *Eur J Neurol* 2008, 15:520-524.
113. Hanein S*, Martin E*, Boukhris A, Byrne P, Goizet C, Hamri A, Benomar A, Lossos A, Denora P, Fernandez J, Elleuch N, Forlani S, Durr A, Feki I, Hunchinson M, Santorelli FM, Mhiri C, Brice A, **Stevanin G** (*cofirst authors). Identification of the *SPG15 gene*, encoding spastizin, as a frequent cause of complicated autosomal recessive spastic paraplegia including Kjellin syndrome. *Am J Hum Genet* 2008, 82:992-1002.
114. Erichsen AK, **Stevanin G**, Denora P, Brice A, Tallaksen CME. SPG11, the most common type of recessive spastic paraplegia in Norway? *Acta Neurol Scanda* 2008 (suppl.) 188:46-50.

ANNEE 2009

115. Denora PS#, Muglia M#, Casali C#, Truchetto J, Silvestri G, Messina D, Boukhris A, Magariello A, Modoni A, Masciulli M, Malandrini A, Morelli M, Fulvia de Leva M, Villanova M, Giugni E, Citrigno L, Rizza T, Federico A, Pierallini A, Quattrone A, Filla A, Brice A, **Stevanin G***, Santorelli FM*. (*corresponding authors, #cofirst authors). Spastic paraplegia with thinning of the corpus callosum and white matter abnormalities: further mutations and relative frequency of ZFYVE26/SPG15 in the Italian population. *J Neurol Scie* 2009, 277:22-25 (Advance online Dec 13 2008).
116. Goizet C*, Boukhris A*, Mundwiller E, Tallaksen C, Forlani S, Toutain A, Carriere N, Paquis V, Depienne C, Durr A, **Stevanin G**, Brice A (*cofirst authors). Complicated forms of autosomal dominant hereditary spastic paraplegia are frequent in SPG10. *Human Mut* 2009, 30:E376-E385 (Advance online Oct 13 2008).
117. Anheim M, Lagier-Tourenne C, **Stevanin G**, Fleury M, Durr A, Namer IJ, Denora P, Brice A, Mandel JL, Koenig M, Tranchant C. SPG11 spastic paraplegia: a new cause of juvenile parkinsonism". *J Neurol* 2009, 256:104-108 (Advance online Feb 19).
118. Terracciano A, Casali C, Grieco GS, Orteschi D, Di Giandomenico S, Seminara L, Di Fabio R, Carrozzo R, Simonati A, **Stevanin G**, Zollino M, Santorelli FM. An inherited large-scale rearrangement in SACS associated with spastic ataxia and hearing loss. *Neurogenet* 2009, 10:151-155 (Advance online Nov 20 2008).
119. Lorenz D*, Klebe S*, **Stevanin G***, Thier S, Nebel A, Feingold J, Frederiksen H, Denis E, Christensen K, Schreiber S, Brice A, Deuschl G#, Durr A# (*co-first authors, #corresponding authors). Dopamine Receptor D3 Gene and Essential tremor in Large Series of German, Danish and French Patients. *Eur J Hum Genet* 2009, 17:766-773 (Advance online Dec 17 2008).
120. Denora PS, Schlesinger D, Casali C, Kok F, Tessa A, Boukhris A, Azzedine H, Dotti MT, Bruno C, Truchetto J, Biancheri R, Fedirk E, Di Rocco M, Bueno C, Malandrini A, Battini R, Sickl E, De Leva MF, Boespflug-Tanguy O, Silvestri G, Simonati S, Said E, Ferbert A, Criscuolo C, Heinemann K, Modoni A, Weber P, Palmeri S, Plasilova M, Pauri F, Cassandrini D, Battisti C, Pini A, Tosetti M, Hauser E, Masciullo M, Di Fabio R, Piccolo F, Denis E, Cioni G, Massa R, Della Giustina E, Calabrese O, Melone MAB, De Michele

- G, Federico A, Bertini E, Durr A, Brockmann K, van der Knaap MS, Zatz M, Filli A, Brice A, **Stevanin G**, Santorelli FM. Screening of ARHSP-TCC patients expands the spectrum of *SPG11* mutations and includes a large scale gene deletion. *Human Mut* 2009, 30:E500-E519 (Advance online Dec 22, 2008).
121. Boukhris A, **Stevanin G**, Feki I, Denora P, Elleuch N, Imed Miladi M, Goizet C, Truchetto J, Belal S, Brice A, Mhiri C. Tunisian hereditary spastic paraplegias: clinical variability supported by genetic heterogeneity. *Clin Genet* 2009, 75:527-536 (Advance online April 30).
122. Goizet C*, Boukhris A*, Durr A, Beetz C, Truchetto J, Tesson C, Tsaoisidou M, Forlani S, Guyant-Maréchal L, Fontaine B, Guimarães J, Isidor B, Chazouillères O, Wendum D, Grid D, Chevy F, Chinnery PF, Coutinho P, Azulay JF, Feki I, Mochel F, Wolf C, Mhiri C, Crosby A, Brice A, **Stevanin G** (* co-first authors). CYP7B1 mutations in pure and complex forms of hereditary spastic paraplegia type 5. *Brain* 2009, 132:1789-1600 (Advance online May 12).
123. Goizet C*, Boukhris A*, Maltete D, Guyant-Maréchal L, Truchetto J, Mundwiller E, Hanein S, Jonveaux P, Roelens F, Loureiro J, Godet E, Forlani S, Melki J, Auer-Grumbach M, Fernandez JC, Martin-Hardy P, Sibon I, Sole G, Orignac I, Mhiri C, Coutinho P, Durr A, Brice A, **Stevanin G** (* co-first authors). SPG15 is the second most common cause of hereditary spastic paraplegia with thin corpus callosum. *Neurology* 2009, 73:1111-1119.

ANNEE 2010

124. Denora PS, Brockmann K, Cicocella M, Truchetto J, **Stevanin G***, Santorelli FM* (*co-corresponding authors). Identification of a *de novo* mutation in *SPG11*. *Mov Disord* 2010, 25: 501-503 (online January 27).
125. Figueroa KP*, Minassian NA*, **Stevanin G***, Waters M, Garibyan V, Forlani S, Strzelczyk A, Burk K, Brice A, Durr A, Papazian DM, Pulst SM (*co-first authors). KCNC3: phenotype, mutations, channel biophysics, a study of 260 familial ataxia patients. *Human Mut* 2010, 31: 191-196.
126. Their S, Lorenz D, Nothnagel M, **Stevanin G**, Durr A, Nebel A, Schreiber S, Kuhlenbaumer G, Deuschl G, Klebe S. LINGO1 polymorphisms are associated with essential tremor in Europeans. *Mov Disord* 2010, 25: 709-715 (online March 22).
127. Schlipf NA, Beetz C, Schüle R, **Stevanin G**, Erichsen AK, Forlani S, Zaros C, Karle K, Klebe S, Klimpe S, Durr A, Otto S, Tallaksen C, Riess O, Brice A, Bauer P and Schöls L. A total of 220 patients with autosomal dominant spastic paraplegia do not display mutations in the *SLC33A1* gene (SPG42). *Eur J Hum Genet* 2010, 18:1065-1067 (online 12 may).
128. Depienne C, Magnin E, Bouteiller D, **Stevanin G**, Saint-Martin C, Vidailhet M, Apartis E, Leguern E, Labauge P, Rumbach L. Familial cortical myoclonic tremor with epilepsy: the third locus (FCMTE 3) maps to 5p. *Neurology* 2010, 74:2000-2003.
129. Slabicki M, Theis M, Krastev DB, Samsonov S, Mundwiller E, Junqueira M, Paszkowski-Rogacz M, Teyra J, Heninger AK, Poser I, Prieur F, Truchetto J, Confavreux C, Marelli C, Durr A, Camdessanche JP, Brice A, Shevchenko A, Pisabarro MT, **Stevanin G** & Buchholz F. A genome-scale DNA repair RNAi screen identifies SPG48 as a novel gene associated with hereditary spastic paraplegia. *PloS-Biol* 2010, 8: e1000408 (online june 29).
130. Boukhris A, Feki I, Elleuch N, Miladi MI, Boland-Augé A, Truchetto J, Mundwiller E, Jezequel N, Zelenika D, Mhiri C, Brice A and **Stevanin G**. A new locus (SPG46) maps to 9p21.2-q21.12 in a Tunisian family with a complicated autosomal recessive hereditary spastic paraplegia with mental impairment and thin corpus callosum. *Neurogenetics* 2010, 11:441-448 (online July 1st).
131. Cagnoli C, **Stevanin G**, Brussino A, Barberis M, Mancini C, Margolis RL, Holmes SE, Nobili M, Forlani S, Padovan S, Pappi P, Zaros C, Leber I, Ribai P, Pugliese L, Assalto C, Brice A, Migone N, Dürr A and Brusco A. Missense mutations in the AFG3L2 proteolytic domain account for ~1.5% of european autosomal dominant cerebellar ataxias. *Human Mut* 2010, 31:1117-1124.
132. Bauer P*, **Stevanin G***, Beetz C*, Synofzik M, Schmitz-Hübsch T, Wüllner U, Berthier E, Ollagnon-Roman E, Riess O, Forlani S, Mundwiller E, Durr A, Schöls L, Brice A (*co-first authors). Spinocerebellar ataxia type 11 (SCA11) is an uncommon cause of dominant ataxia among French and German kindreds. *J Neurol Neurosurg Psy* 2010, 81: 1229-1232 (advanced online Jul 28).
133. Vermeer S, Hoischen A, Meijer RPP, Gilissen C, Neveling K, Wieskamp N, de Brouwer A, Koenig M, Anheim M, Assoum M, Drouot N, Todorovic S, Milic-Rasic V, Lochmüller H, **Stevanin G**, Goizet C, David A, Durr A, Brice A, Kremer B, van de Warrenburg BPC, Schijvenaars MMVAP, Heister A, Kwint M, Arts P, van der Wijst J, Veltman J, Kamsteeg EJ, Scheffer H, Knoers N. Targeted next generation sequencing of a 12.5 Mb homozygous region reveals mutations in the ANO10 gene in patients with autosomal recessive cerebellar ataxia. *Am J Hum Genet* 2010, 87:813-819 (advanced online Nov 18).

ANNEE 2011

134. Marelli C, Amati-Bonneau P, Reynier P, Layet V, Layet A, **Stevanin G**, Brissaud E, Bonneau D, Durr A, Brice A. Heterozygous OPA1 mutations in Behr syndrome. *Brain* 2011, 134:e169 (advanced online Nov 26).
135. Puech B*, Lacour A*, **Stevanin G***, Sautière BG, Devos D, Depienne C, Denis E, Mundwiller E, Ferriby D, Vermersch P, Defoort-Dhellemmes S (*co-first authors). Kjellin syndrome: long-term neuro-ophthalmologic

- follow-up and novel mutations in the SPG11 gene. *Ophthalmology* 2011, 118: 564-573 (advanced online Oct 28).
136. Cleeter M, Houlden H, Simons P, Al-Shawi R, **Stevanin G**, Durr A, Hsuan J, Warner TT. Screening for mutations in the phosphatidylinositol 4-kinase 2-alpha gene in autosomal recessive hereditary spastic paraplegia. *Amyotrophic Lateral Sclerosis*. *Amyotroph Lateral Scler* 2011, 12:148-149 (advanced online Dec 30, 2010).
137. Assami S, Azzedine H, Nouioua S, Mundwiller E, Mahoui S, Makri S, Djemai M, Grid D, Brice A, Hamadouche T, **Stevanin G** and Tazir M. Panthothenate kinase-associated neurodegeneration: clinical description of 10 patients and new mutations. *Mov Dis* 2011, 26:1777-1779 (advanced online March 25).
138. Marelli C, van de Leempt J, Johnson JO, Tison F, Thauvin-Robinet C, Picard F, Tranchant C, Hernandez DG, Huttin B, Boulliart J, Sangla I, Marescaux C, Briquet S, Dollfus H, Arepalli S, Benatru I, Ollagnon E, Forlani S, Hardy J, **Stevanin G**, Dürr A, Singleton A, Brice A. SCA15 due to large ITPR1 deletions in a cohort of 333 Caucasian families with dominant ataxia. *Arch Neurol* 2011, 68: 637-643.
139. Murmu RP, Martin E, Rastetter A, Esteves T, Muriel MP, El Hachimi KH, Denora PS, Dauphin A, Fernandez JC, Duyckaerts C, Brice A, Darios F, **Stevanin G**. Cellular distribution and subcellular localisation of spatacsin and spastizin, two proteins involved in hereditary spastic paraplegia. *Mol Cell Neuroscie* 2011, 47:191-202 (advanced online April 27).
140. Goizet C*, Depienne C*, Benard G*, Boukhris A*, Mundwiller E, Solé G, Coupry I, Pilliod J, Martin-Négrier ML, Fedirko E, Forlani S, Cazeneuve C, Hannequin D, Charles P, Feki I, Pinel JF, Ouvrard-Hernandez AN, Lyonnet S, Ollagnon-Roman E, Yaouanq J, Toutain A, Dussert C, Fontaine B, Leguern E, Lacombe D, Durr A, Rossignol R, Brice A, **Stevanin G** (*co-first authors). REEP1 Mutations in SPG31: Frequency, Mutational Spectrum and Potential Association with Mitochondrial Morpho-functional Dysfunction. *Hum Mut* 2011, 32:1118-1127.
141. Ishikawa K, Durr A, Klopstock T, Muller S, De Toffol B, Vidailhet M, Vighetto A, Marelli C, Wichmann HE, Illig T, Niimi Y, Sato N, Amino T, **Stevanin G**, Brice A, Mizusawa H. Diverse and unstable pentanucleotide repeats at the spinocerebellar ataxia type 31 (SCA31) locus in Caucasians. *Neurology* 2011, 77:1853-1855.

ANNEE 2012

142. Koht J, **Stevanin G**, Durr A, Mundwiller E, Brice A and Tallaksen CME. SCA14 in Norway, two families with autosomal dominant cerebellar ataxia and a novel mutation in the PRKCG gene. *Acta Neurol Scanda* 2012, 125: 116-122 (advanced online March 21, 2011).
143. Depienne C, Bouteiller D, Méneret A, Billot S, Groppa S, Klebe S, Djarmati A, Bhatia K, Cincotta M, Brochard V, Flamand-Roze C, Carpentier W, Meunier S, Marie Y, Gaussen M, **Stevanin G**, Wehrle R, Charbonnier-Beaupel F, Corvol JC, Vidailhet M, Klein C, Dusart I, Brice A, and Roze E. RAD51 Haploinsufficiency Causes Congenital Mirror Movements in Humans. *Am J Hum Genet* 2012, 90:301-307 (advanced online February 1st).
144. Klebe S, Lossos A, Azzedine H, Mundwiller E, Sheffer R, Gaussen M, Marelli C, Nawara M, Carpentier W, Meyer V, Rastetter A, Martin E, Bouteiller D, Orlando L, Gyapay G, El Hachimi KH, Zimmerman B, Gamliel M, Misk A, Lerer I, Brice A, Durr A, **Stevanin G**. KIF1A missense mutations in SPG30, an autosomal recessive spastic paraplegia: distinct phenotypes according to the nature of the mutations. *Eur J Hum Genet* 2012, 20:645-649 (advanced online January 18).
145. Martins S, Soong BW, Wong VCN, Giunti P, **Stevanin G**, Ranum LPW, Sasaki H, Riess O, Tsuji S, Coutinho P, Amorim A, Sequeiro J, Nicholson GA. Mutational origin of Machado-Joseph disease in the Australian aboriginal communities of Groote Eylandt and Yirrkala? *Arch Neurol* 2012, 69:746-751 (advanced online February 20).
146. Dukfe C, Schlipf N, Schule R, Bonin M, Auer-Grumbach M, **Stevanin G**, Depienne C, Kassubek J, Klebe S, Klimbe S, Klopstock T, Otto S, Poths S, Seibel A, Stolze H, Gal A, Schols L, Bauer P. A high-throughput resequencing microarray for autosomal dominant spastic paraplegia genes. *Neurogenetics* 2012, 13:215-227 (advance online May 3rd 2012).
147. Martin E, Yanicostas C, Rastetter A, Alavi-Naini SM, Maouedj A, Kabashi E, Rivaud-Pechoux S, Brice A, **Stevanin G***, Soussi-Yanicostas N* (* co-last authors). Spatacsin and spastizin act in the same pathway required for proper spinal motor neuron axon outgrowth in zebrafish. *Neurobiol dis* 2012, 48:299-308 (advanced online July 13).
148. Hekman KE, Yu GY, Brown CD, Zhu H, Du X, Gervin K, Undlien DE, Peterson A, **Stevanin G**, Clark HB, Pulst S, Bird T, White KP, Gomez CM. A conserved eEF2 Coding Variant in SCA26 leads to a Loss of Translational Fidelity and Increased Susceptibility to Proteostatic Insult. *Hum Mol Genet* 2012, 21: 5472-5483 (advance online September 21).
149. Klebe S, Depienne C, Gerber S, Challe G, Anheim M, Charles P, Fedirko E, Lejeune E, Cottineau J, Brusco A, Dollfus H, Chinnery PF, Mancini C, Ferrer X, Sole G, Destée A, Mayer JM, Fontaine B, de Seze J, Clanet M, Ollagnon E, Busson P, Cazeneuve C, **Stevanin G**, Kaplan J, Rozet JM, Brice A, Durr A. Decision-making for SPG7 testing in hereditary spastic paraparesis and optic neuropathy. *Brain* 2012, 135:2980-2993.

150. Tesson C*, Nawara M*, Salih MAM*, Rossignol R*, Zaki M, Al Balwi M, Schule R, Mignot C, Obre E, Bouhouche A, Santorelli FM, Durand CM, Caballero-Oteyza A, El-Hachimi KH, Al Drees A, Bouslam N, Lamari F, El Malik SA, Kabiraj MM, Seidahmed MZ, Esteves T, Gaussem M, Monin ML, Gyapay G, Lechner D, Gonzalez M, Depienne C, Mochel F, Lavie J, Schols L, Lacombe D, Yahyaoui M, Al Abdulkareem I, Zuchner S, Yamashita A, Benomar A, Goizet C, Durr A, Gleeson JG, Darios F, Brice A#, **Stevanin G**# (* co-first authors; # co-corresponding authors). Alteration of fatty acid-metabolizing enzymes affects mitochondrial functions in hereditary spastic paraparesis. *Am J Hum Genet* 2012, 91: 1051-1064 (advanced online November 20).
151. Yanicostas C, Barbieri E, Hibi M, Brice A, **Stevanin G**, Soussi-Yanicostas N. Requirement for zebrafish ataxin-7 in differentiation of photoreceptors and cerebellar neurons. *PLoS One* 2012, 7:e50705.
152. Lee YC*, Durr A*, Majczenko K*, Huang YH, Liu YC, Lien CC, Tsai PC, Ichikawa Y, Goto J, Monin ML, Li JZ, Chung MY, Mundwiller E, Shakkotai V, Liu TT, Tesson C, Lu YC, Brice A, Tsuji S, Burmeister M#, **Stevanin G**#, Soong BW#. (# co-last authors, *co-first authors). Mutations in KCND3 cause spinocerebellar ataxia type 22. *Ann Neurol* 2012, 72:859-869 (advanced online July 23). Commented in the “Research highlights” of Nature Reviews Neurology 2012, 8:472.

ANNEE 2013

153. Collongues N, Depienne C, Boehm N, Echaniz-Laguna A, Samama B, Durr A, **Stevanin G**, Leguern E, Brice A, Labauge PM, de Seze J. Novel SPG10 mutation associated with dysautonomia, spinal cord atrophy and skin biopsy abnormality. *Eur J Neurol* 2013, 20: 398-401 (advanced online July 12, 2012).
154. Martin E*, Schule R*, Smets K*, Rastetter A, Boukhris A, Loureiro JL, Gonzalez MA, Mundwiller E, Deconinck T, Marc Wessner M, Jornea L, Caballero Oteyza A, Durr A, Martin JJ, Schols L, Mhiri C, Lamari F, Züchner S, De Jonghe P, Kabashi E, Brice A#, and **Stevanin G**# (* co-first authors; # co-corresponding authors). Loss of Function of Glucocerebrosidase GBA2 is Responsible for Motor Neuron Defects in Hereditary Spastic Paraparesis. *Am J Hum Genet* 2013, 92: 238-244 (advance online January 17).
155. Jeziorska J, **Stevanin G**, Watanabe H, Fokkens M, Zagnoli F, Kok J, Goas JY, Bertrand P, Robin C, Brice A, Bakalkin G, Durr A, Verbeek DS. Identification and characterization of novel PDYN mutations in dominant cerebellar ataxia cases. *J Neurol* 2013, 260: 1807-1812 (advance online March 8).
156. Loureiro JL, Brandão E, Ruano L, Brandão AF, Lopes AM, Thieleke-Matos C, Miller-Fleming L, Cruz VT, Barbosa M, Silveira I, **Stevanin G**, Pinto-Basto J, Sequeiros J, Alonso I, Coutinho P. Autosomal dominant spastic paraplegias: a review of 89 families resulting from a Portuguese survey. *Arch Neurol* 2013, 70:481-487 (advance online February 11).
157. Chort A*, Alves S*, Marinello M, Dufresnois B, Dornbierer JG, Tesson C, Latouche M, Baker D, Barkats M, El-Hachimi KH, Ruberg M, Janer A, **Stevanin G**, Brice A, Sittler A (* co-first authors). Interferon-beta induces clearance of mutant Ataxin-7 and improves locomotion in SCA7 knock-in mice. *Brain* 2013, 136:1732-1745 (advance online March 21).
158. Serrano-Munuera C, Corral-Juan M, **Stevanin G**, San Nicolas H, Roig C, Corral J, Campos B, De Jorge L, Morcillo-Suarez C, Navarro A, Forlani S, Durr A, Kulisevski J, Brice A, Sanchez I, Volpini V, Matilla-Duenas A. New spinocerebellar ataxia with altered vertical eye movements mapping to 1p32. *JAMA Neurol* 2013, 70:764-771 (advance online June 1st).
159. Boukhris A, Schule R, Loureiro JL, Marques Lourenço C, Mundwiller E, Gonzalez MA, Charles P, Gauthier J, Rekik I, Acosta Lebrigo RF, Gaussem M, Speziani F, Ferbert A, Feki I, Caballero Oteyza A, Dionne-Laporte A, Amri M, Noreau A, Forlani S, Cruz VT, Mochel F, Coutinho P, Dion P, Mhiri C, Schols L, Pouget J, Darios F, Rouleau GA, Marques Jr W, Brice A, Durr A, Zuchner S, **Stevanin G**. Alteration of ganglioside biosynthesis responsible for complex hereditary spastic paraparesis. *Am J Hum Genet* 2013, 93: 118-123 (advance online June 4).
160. Di Gregorio E, Bianchi FT, Schiavi A, Chiotti AMA, Rolando M, Verdun di Cantogno L, Grossi E, Cavalieri S, Calcia A, Lacerenza D, Zuffardi O, Retta SF, **Stevanin G**, Marelli C, Durr A, Forlani F, Chelly J, Montarolo F, Tempia F, Beggs HE, Reed R, Squadrone S, Abete MC, Brussino A, Ventura N, Di Cunto F and Brusco A. A de novo X;8 translocation creates a PTK2-THOC2 gene fusion with THOC2 expression knockdown in a patient with psychomotor retardation and congenital cerebellar hypoplasia. *J Med Genet* 2013, 50: 543-551 (advance online June 7).
161. Mancini C, Roncaglia P, Brussino A, **Stevanin G**, Lo Buono N, Krmac H, Maltecca F, Gazzano E, Bartoletti Stella A, Calvaruso MA, Iommarini L, Cagnoli C, Forlani S, Le Ber I, Durr A, Brice A, Ghigo D, Casari G, Porcelli AM, Funaro A, Gasparre G, Gustincich S, Brusco A. Genome-wide expression profiling and functional characterization of SCA28 lymphoblastoid cell lines reveal impairment in cell growth and activation of apoptotic pathways. *BMC Med Genomics* 2013, 6:22 (advance online June 18).
162. Azzedine H, Zavadakova P, Planté-Bordeneuve V, Vaz Pato M, Pinto N, Bartesaghi L, Zenker J, Poirot O, Bernard-Marissal N, Arnaud Gouttenoire E, Cartoni R, Title A, Venturini G, Médard JJ, Makowski E, Schöls L, Claeys KG, Stendel C, Roos A, Weis J, Dubourg O, Leal Loureiro J, **Stevanin G**, Said G, Amato A, Baraban J, Leguern E, Senderek J, Rivolta C, Chrast R. PLEKHG5 deficiency leads to an intermediate form

- of autosomal recessive Charcot-Marie-Tooth disease. *Hum Mol Genet* 2013, 22:4224-4232 (advance online June 26).
163. Landouré G, Zhu PP, Lourenço CM, Johnson JO, Toro C, Bricceno KV, Rinaldi C, Meilleur KG, Sangaré M, Diallo O, Piercon TM, Ishiura H, Tsuji S, Hein N, Fink JK, Stoll M, Nicholson G, Gonzalez M, Speziani F, Durr A, **Stevanin G**, Biesecker LG, Accardi J, Landis DM, Gahl WA, Traynor BJ, Marques W Jr, Zuchner S, Blackstone C, Fischbeck KH, Burnett BG. Hereditary spastic paraparesis type 43 (SPG43) is caused by mutation in C19orf12. *Hum Mut* 2013, 34:1357-1360 (advance online Jul 15).
164. Duarri A, Nibbeling E, Fokkens MR, Meijer M, Boddeke E, Lagrange E, **Stevanin G**, Brice A, Durr A, Verbeek DS. The L450P mutation in KCND3 brings spinocerebellar ataxia and Brugada syndrome closer together. *Neurogenet* 2013, 14: 257-258 (advance online august 21).
165. Salih MA, Mundwiller E, Khan AO, AlDrees A, Elmalik SA, Hassan HH, Al-Owain M, Alkhalidi HMS, Katona I, Kabiraj MM, Chrast R, Kentab AY, Alzaidan H, Rodenburg RJ, Bosley TM, Weis J, Koenig M, **Stevanin G#**, Azzedine H# (# co-last authors). New findings in a global approach to dissect the whole phenotype of PLA2G6 gene mutations. *PLOS-one* 2013, 8: e76831 (advance online October 9).
166. Noreau A, Bourassa CV, Szuto A, Levert A, Dobrzeniecka S, Gauthier J, Forlani S, Durr A, Anheim M, **Stevanin G**, Brice A, Bouchard JP, Dion PA, Dupré N, Rouleau GA. SYNE1 mutations in autosomal recessive cerebellar ataxia. *JAMA Neurol* 2013, 70: 1296-1301 (advance online august 19).

ANNEE 2014

167. Dor T, Cinnamon Y, Raymond L, Shaag A, Bouslam N, Bouhouche A, Gaussen M, Meyer V, Durr A, Brice A, Benomar A, **Stevanin G**, Schuelke M, Edvardson S. KIF1C mutations in two families with hereditary spastic paraparesis and cerebellar dysfunction. *J Med Genet* 2014, 51:137-142 (advance online December 18, 2013).
168. Synofzik M, Gonzalez MA, Marques Lourenço C, Coutelier M, Haack TB, Rebello A, Hannequin D, Strom TM, Prokisch H, Kernstock C, Durr A, Schols L, Lima-Martinez MM, Farooq A, Schule R, **Stevanin G**, Marques W Jr, Zuchner S. PNPLA6 mutations cause Boucher-Neuhäuser and Gordon Holmes syndromes as part of a broad neurodegenerative spectrum. *Brain* 2014, 137:69-77 (advance online December 19, 2013).
169. Esteves T, Durr A, Mundwiller E, Loureiro J, Boutry M, Gonzalez MA, Gauthier J, El-Hachimi KH, Depienne C, Muriel MP, Acosta Lebrigio RF, Gaussen M, Noreau A, Speziani F, Dionne-Laporte A, Deleuze JF, Dion P, Coutinho P, Rouleau GA, Zuchner S, Brice A, **Stevanin G#**, Darios F# (# co-last authors). Loss of association of REEP2 to membranes leads to hereditary spastic paraparesis. *Am J Hum Genet* 2014, 94:268-277 (advance online January 2).
170. Novarino G*, Fenstermaker AG*, Zaki MS*, Hofree M, Silhavy JL, Heiberg AD, Abdellatef M, Rosti B, Scott E, Mansour L, Masri A, Kayserili H, Al-Aama JY, Abdel-Salam GMH, Karminejad A, Kara M, Kara B, Bozorgmehri B, Ben-Omrán T, Mojahedi F, El Din Mahmoud IG, Bouslam N, Bouhouche A, Benomar A, Hanein S, Raymond L, Forlani S, Mascaro M, Selim L, Shehata N, Al-Allawi N, Bindu PS, Azam M, Gunel M, Caglayan A, Bilguvar K, Tolun A, Issa MY, Schroth J, Spencer EG, Rosti RO, Akizu N, Vaux KK, Johansen A, Koh AA, Megahed H, Durr A, Brice A, **Stevanin G**, Gabriel SB, Ideker T, Gleeson JG (* co-first authors). Exome Sequencing Links Corticospinal Motor Neuron Disease to Common Neurodegenerative Disorders. *Science* 2014, 343:506-511.
171. Khan AO, AlDrees A, Elmalik SA, Hassan HH, Koenig M, **Stevanin G**, Azzedine H, Salih MA. Ophthalmic features of PLA2G6-related pediatric neurodegeneration with brain iron accumulation. *Br J Ophthalmol* 2014, 98: 889-893 (advance online February 12).
172. Tezenas du Montcel S, Durr A, Rakowics M, Nanetti L, Charles P, Sulek A, Mariotti C, Rola R, Schols L, Bauer P, Dufaure-Garé I, Jacobi H, Forlani S, Schmitz-Hubsch T, Filla A, Timmann D, van de Warrenburg BP, Marelli C, Kang JS, Giunti P, Cook A, Baliko L, Bela M, Boesch S, Szymanski S, Berciano J, Infante J, Buerck K, Masciullo M, di Fabio R, Depondt C, Ratka S, **Stevanin G**, Klockgether T, Brice A, Golmard JL. Prediction of the age at onset in spinocerebellar atrophy type 1,2,3 and 6. *J Med Genet* 2014, 51:479-486 (advance online April 29).
173. Alves S, Cormier-Dequaire F*, Marinello M*, Marais T, Muriel MP, Beaumatin F, Chrabonnier-Beaupel F, Tahiri K, Seilhean D, El-Hachimi KH, Ruberg M, **Stevanin G**, Barkats M, den Dunnen W, Priault M, Brice A, Durr A, Corvol JC, Sittler A (* co-second authors). The autophagy/lysosome pathway is impaired in SCA7 patients and SCA7 knock-in mice. *Acta Neuropathol* 2014, 128:705-722 (advance online May 24).
174. Tezenas du Montcel S, Durr A, Bauer P, Figueroa KP, Ichikawa Y, Brussino A, Forlani S, Rakowicz M, Schöls L, Mariotti C, van de Warrenburg BPC, Orsi L, Giunti P, Filla A, Szymanski S, Klockgether T, Berciano J, Pandolfo M, Boesch S, Melega B, Timmann D, Mandich P, Camuzat A, the Clinical Research Consortium for Spinocerebellar Ataxia (CRC-SCA), the EUROSCA network, Goto J, Ashizawa T, Cazeneuve C, Tsuji S, Pulst SM, Brusco A, Riess O, Brice A, **Stevanin G**. Modulation of the age at onset in spinocerebellar atrophy by CAG tracts in various genes. *Brain* 2014, 137: 2444-2455 (advance online July 3).
175. Di Gregorio E, Borroni B, Lacerenza D, Ferrero M, Lo Buono N, Ragusa N, Mancini C, Gaussen M, Calcia A, Mitro N, Hoxha E, Mura I, Covello DA, Moon YA, Tesson C, Vaula G, Couarch P, Orsi P, Duregon E, Giulio M, Deleuze JF, Imbert J, Costanzi C, Padovani A, Giunti P, Maillet-Vioud M, Durr A, Brice A, Tempia

- F, Funaro A, Boccone L, Caruso D, **Stevanin G**, Brusco A. ELOVL5 mutations cause spinocerebellar ataxia 38. *Am J Hum Genet* 2014; 95: 209-217 (advance online August 7).
176. Delplanque J, Devos D, Huin V, Genet A, Sand O, Goizet C, Charles P, Anheim M, Monin ML, Moreau C, Buée L, Grolez G, Delmaire C, Dujardin K, Dellacherie C, Destée A, Brice A, **Stevanin G**, Strubi-Vuillaume I, Durr A, Sablonnière B. TMEM240 mutations cause spinocerebellar ataxia with severe cognitive impairment. *Brain* 2014; 137: 2657-2663 (advance online July 28).
177. Lattante S, Millecamps S, **Stevanin G**, Rivaud-Péchoux S, Moigneu C, Camuzat A, Da Barroca S, Mundwiller E, Couarch P, Salachas F, Hannequin D, Meininger V, Pasquier F, Seilhean D, Couratier P, Danel-Brunaud V, Bonnet AM, Tranchant C, LeGuern E, Brice A, Le Ber I, and Kabashi E, For The French Research Network on FTD and FTD-ALS. Contribution of ATXN2 intermediary polyQ expansions in a spectrum of neurodegenerative disorders. *Neurology* 2014; 83: 990-995 (advance online August 6).
178. Dorboz I*, Coutelier M*, Bertrand AT, Caberg JH, Elmaleh-Bergès M, Lainé J, **Stevanin G**, Bonne G, Boespflug-Tangy O and Servais L (*co-first authors). Severe dystonia, cerebellar atrophy, and cardiomyopathy likely caused by a missense mutation in TOR1AIP1. *Orphanet J Rare Dis* 2014; 9:174.

ANNEE 2015

179. Mamaï O, Boussofara L, Denguezli M, Escande-Beillard N, Kraein W, Merriman B, Ben Charfeddine I, **Stevanin G**, Bouraoui S, Amara A, Mili A, Nouira R, H'mida D, Sriha B, Gribaa M, Saad A, Reversade B. Multiple Self-healing Palmoplantar Carcinoma (MSPC): a familial predisposition to skin cancer with primary palmoplantar and conjunctival lesions. *J Invest Dermatol* 2015; 135:304-308 (advance online July 22, 2014).
180. Obayashi M*, **Stevanin G***, Synofzik M, Monin ML, Duyckaerts C, Sato N, Streichenberger N, Viguetto A, Desestret V, Tesson C, Wichmann HE, Illig T, Huttenlocher J, Kita Y, Izumi Y, Mizusawa H, Schols L, Klopstock T, Brice A, Ishikawa K, Durr A (*co-first authors). Spinocerebellar ataxia type 36 exists in diverse populations and can be caused by a short hexanucleotide GGCCTG repeat expansion. *J Neuro Neurosurg Psy* 2015; 86: 986-995 (advance online 2014 December 4).
181. Lossos A*, Stumpfig C*, **Stevanin G***, Gaussen M, Zimmerman BE, Mundwiller E, Asulin M, Chamma L, Sheffer R, Misk A, Dotan S, Gomori JM, Ponger P, Brice A, Lerer I, Meiner V, Lill R (*co-first authors). Fe/S Protein Assembly Gene IBA57 Mutation Causes Hereditary Spastic Paraparesis. *Neurology* 2015; 84:659-667 (advance online January 21).
182. Monin ML, Tezenas du Montcel S, Marelli C, Cazeneuve C, Charles P, Tallaksen C, Forlani S, **Stevanin G**, Brice A, Durr A. Survival and severity in dominant cerebellar ataxias. *Ann Clin Trans Neurol* 2015; 2:202-207 (advance online publication January 7).
183. Johnson JO, **Stevanin G**, van de Leempt J, Hernandez DG, Arepali S, Forlani S, Zonozi R, Gibbs JR, Brice A, Durr A, Singleton AB. A 7.5Mb duplication at chromosome 11q21-11q22.3 is associated with a novel spastic ataxia syndrome. *Mov Disord* 2015; 30:262-266 (advance online December 27, 2014).
184. Rinaldi C, Schmidt T, Situ AJ, Johnson JO, Lee PR, Chen KL, Bott LC, Fado R, Harmison GH, Parodi S, Grunseich C, Renvoisé B, Biesecker LG, DeMichele G, Santorelli FM, Filla A, **Stevanin G**, Durr A, Brice A, Casals N, Traynor BJ, Blackstone C, Ulmer TS, Fischbeck KH. Mutation in CPT1C causes pure autosomal dominant spastic paraparesis. *JAMA Neurol* 2015; 72(5):561-570 (advance online March 9).
185. Hopfner F*, **Stevanin G***, Muller SH, Mundwiller E, Bungeroth M, Durr A, Pendziwiat M, Anheim M, Schneider SA, Tittmann L, Klebe S, Lorenz D, Deusel G, Brice A#, Kuhlenbaumer G# (*co-first authors, # co-last authors). The impact of rare variants in FUS in essential tremor. *Mov Disord* 2015; 30(5):721-724 (advance online January 28).
186. Coutelier M, Burglen L, Mundwiller E, Abada-Bendib M, Rodriguez D, Chantot-Bastaraud S, Rougeot C, Courneille MA, Mihl M, Toutain A, Bacq D, Meyer V, Afenjar A, Deleuze JF, Brice A, Heron D, **Stevanin G**, Durr A. GRID2 mutations span from congenital to mild adult onset cerebellar ataxia. *Neurology* 2015 84(17):1751-1759 (advance online April 3rd).
187. Coutelier M, Goizet C, Durr A, Habarou F, Morais S, Dionne-Laporte A, Tao F, Konop J, Stoll M, Charles P, Jacoupy M, Matusiak R, Alonso I, Tallaksen C, Mairey M, Kennerson M, Gaussen M, Schule R, Janin M, Morice-Picard F, Durand CM, Depienne C, Calvas P, Coutinho P, Saudubray JM, Rouleau G, Brice A, Nicholson G, Darios F, Loureiro JL, Zuchner S, Ottolenghi C, Mochel F, **Stevanin G**. Alteration of ornithine metabolism leads to dominant and recessive hereditary spastic paraparesis. *Brain* 2015; 138: 2191-2205 (advance online May 29).
188. Krause A, Mitchell C, Essop F, Tager S, Temlett J, **Stevanin G**, Ross C, Rudnicki D, Margolis R. Junctophilin 3 (JPH3) expansion mutations causing huntington disease like 2 (HDL2) are common in south african patients with African ancestry and a Huntington disease phenotype. *Am J Med Genet Part B Neuropsychiatr Genet* 2015; 168: 573-585 (advance online June 16).
189. Hirst J, Edgar JR, Esteves T, Darios F, Madeo M, Chang J, Roda RH, Durr A, Anheim M, Gellera C, Li J, Zuchner S, Mariotti C, **Stevanin G**, Blackstone C, Kruer MC, Robinson MS. Loss of AP-5 results in accumulation of aberrant endolysosomes: defining a new type of lysosomal storage disease. *Hum Mol Genet* 2015; 24: 4984-4996 (Advance online June 17).

190. Pilliod J, Moutton S, Lavie J, Maurat E, Hubert C, Bellance N, Anheim M, Forlani S, Mochel F, N'Guyen K, Thauvin-Robinet C, Verny C, Milea D, Lesca G, Koenig M, Rodriguez D, Houcinat N, Van-Gils J, Durand CM, Guichet A, Barth M, Bonneau D, Convers P, Maillart E, Guyant-Marechal L, Hannequin D, Fromager G, Afenjar A, Chantot-Bastaraud S, Valence S, Charles P, Berquin P, Rooryck C, Bouron J, Brice A, Lacombe D, Rossignol R, **Stevanin G**, Benard G, Burglen L, Durr A, Goizet C, Coupry I. New practical definitions for the diagnosis of autosomal recessive spastic ataxia of Charlevoix-Saguenay. *Ann Neurol* 2015; 78: 871-886.
191. Coutelier M*, Blesneac I*, Monteil A, Monin ML, Ando K, Mundwiller E, Brusco A, Lber I, Anheim M, Castrioto A, Duyckaerts C, Brice A, Durr A, Lory P*, **Stevanin G***# (cofirst or co-last authors, #corresponding author). A recurrent mutation in CACNA1G alters Cav3.1 T-type calcium channel conduction and causes autosomal dominant cerebellar ataxia. *Am J Hum Genet* 2015; 97:726-737 (advance online October 8th 2015).
192. Jahic A, Khundadze M, Jaenisch N, Schule R, Klimpe S, Klebe S, Frahm C, Kassubel J, **Stevanin G**, Schols L, Brice A, Hubner C, Beetz C. The spectrum of KIAA0196 variants, and characterization of a murine knockout: implications for the mutational mechanism in hereditary spastic paraplegia type SPG8. *Orphanet J Rare Dis* 2015; 10: 147 (advance onl:ine Nov 16).

ANNEE 2016

193. Coutelier M, Mochel F, Saudubray JM, Ottolenghi C, **Stevanin G**. Reply: ALDH18A1 gene mutations cause dominant spastic paraplegia SPG9: loss of function effect and plausibility of a dominant negative mechanism. *Brain* 2016; 139: e4. IF 10.3
194. Elsayed LE, Drouet V, Usenko T, Mohammed IN, Hamed AA, Elseed MA, Salih MA, Koko ME, Mohamed AY Siddig RA, Elbashir MI, Ibrahim ME, Durr A, **Stevanin G**, Lesage S, Ahmed AE, Brice A. A novel nonsense mutation in DNAJC6 expands the phenotype of autosomal recessive juvenile-onset Parkinson disease. *Ann Neurol* 2016; 79: 335-337 (advance online 2015 dec 24). IF 9.9
195. Denora PS, Smets K, Zolfanelli F, Ceuterick-de-Groote C, Casali C, Deconinck T, Sieben A, Gonzales M, Zuchner S, Darios F, Peeters D, Brice A, Malandrini A, De Jonghe P, Santorelli FM, **Stevanin G***, Martin JJ, El-Hachimi K (*corresponding author). Motor neuron degeneration in spastic paraplegia 11 mimics amyotrophic lateral sclerosis lesions. *Brain* 2016; 139:1723-1734 (advance online March 25). IF 10.3
196. Bettencourt C, Hensman Moss DJ, Flower M, Wiethoff S, Brice A, Goizet C, **Stevanin G**, Koutsis G, Karadima G, Panas M, Yescas-Gómez P, García-Velázquez LE, Alonso-Vilatela ME, Lima M, Raposo M, Traynor B, Sweeney M, Wood N, Giunti P, SPATAx network, Durr A, Holmans P, Houlden H, Tabrizi SJ, Jones L. DNA repair pathways underlie a common genetic mechanism modulating onset in polyglutamine diseases. *Ann Neurol* 2016; 79:983-990 (advance online April 4). IF 9.9
197. Mariani LL*, Tesson C*, Charles P, Cazeneuve C, Hahn V, Yousov K, Freeman L, Grabli D, Roze E, Noel S, Peuvion JN, Bachoud-Lévi AC, Brice A, **Stevanin G**, Durr A (* co-first authors). Expanding the spectrum of genes involved in Huntington disease: a combined clinical and genetic approach. *JAMA Neurol* 2016; 73:1105-1114 (avance online Jul 11). IF 10
198. Wang Y, Hersheson J, Lopez D, Ben Hamad M, Liu Y, Lee KH, Pinto V, Seinfeld J, Wiethoff S, Sun J, Amouri R, Hentati F, Baudry N, Tran J, Singleton AB, Coutelier M, Brice A, **Stevanin G**, Durr A, Bi X, Houlden H, Baudry M. Defects in the CAPN1gene result in alterations in cerebellar development and in cerebellar ataxia in miceand humans. *Cell Rep* 2016; 16:79-81 (advance online June 16). IF 8.3
199. Alves S, Marais T, Biferi MG, Furling D, Marinello M, El-Hachimi KH, Cartier N, Ruberg M, **Stevanin G**, Brice A, Barkats M, Sittler A. Lentiviral vector-mediated overexpression of mutant ataxin-7 recapitulates SCA7 pathology and promotes accumulation of the FUS/TLS and MBNL1 RNA-binding proteins. *Mol Neurodegener* 2016; 11:58 (advance online Jul 28). IF 6.8

ANNEE 2017

200. Van Marldergem L, Besse A, de Paepe B, Blakely EL, Appadurai V, Humble MM, Piard J, Craig K, He L, Hella P, Debray FG, Martin JJ, Gaussen M, Laloux P, **Stevanin G**, van Coster R, Taylor RW, Copeland WC, Mormont E, Bonnen PE. POLG2 deficiency causes adult-onset syndromic sensory neuropathy, ataxia and parkinsonism. *Ann Clin Translational Neurol* 2017; 4:4-14 (advance online November 16, 2016). IF 4.7
201. Elsayed LEO, Mohammed IN, Hamed AAA, Elseed MA, Johnson A, Mairey M, Mohamed HESA, Idris MN, Salih MAM, El-sadig SM, Koko ME, Mohamed AYO, Raymond L, Coutelier M, Darios F, Siddig RA, Ahmed AKMA, Babi AMA, Malik HMO, Omer ZMBM, Mohamed EOE, Eltahir HB, Magboul NAA, Bushara EE, Elnour A, Rahim SMA, Alattaya A, Elbashir MI, Ibrahim ME, Durr A, Audhya A, Brice A, Ahmed AE, **Stevanin G**. Hereditary spastic paraplegias: Identification of a novel SPG57 variant affecting TFG oligomerization and description of HSP subtypes in Sudan. *Eur J Hum Genet* 2017; 25:100-110 (advance online september 7, 2016). IF 4.3
202. Sproviero W, Shatunov A, Stahl D, Shoai M, van Rheenen W, Jones AR, Al-Sarraj S, Andersen PM, Bonini NM, Conforti FL, van Damme P, Daoud H, Del Mar Amador M, Fogh I, Forzan M, Gaastra B, Gellera C, Gitler AD, Hardy J, Fratta P, La Bella V, LeBer I, van Langenhove T, Lattante S, Lee YC, Malaspina A, Meininger V, Millecamp S, Orrell R, Rademakers R, Robberecht W, Rouleau G, Ross OA, Salachas F, Sidle

- K, Smith BN, Soong BW, Sorarù G, **Stevanin G**, Kabashi E, Troakes C, van Broeckhoven C, Veldink JH, van den Berg LH, Shaw CE, Powell JF, Al Chalabi A. ATXN2 trinucleotide repeat length correlates with risk of ALS. *Neurobiol Aging* 2017; 51:178 (advance online Nov 24, 2016). IF 5.1
203. Lavie J, Serrat R, Bellance N, Courtand G, Dupuy JW, Tesson C, Coupry I, Brice A, Lacombe D, Durr A, **Stevanin G**, Darios F, Rossignol R, Goizet C, Bénard G. Mitochondrial morphology and cellular distribution are altered in SPG31 patients and are linked to DRP1 hyperphosphorylation. *Hum Mol Genet* 2017; 26:674-685 (advance online Dec 22, 2016). IF 5.3
204. Coutelier M, Coarelli G, Monin ML, Knop J, Davoine CS, Tesson C, Valter R, Anheim M, Behin A, Castenovo G, Charles P, David A, Ewenczyk C, Fradin M, Goizet C, Hannequin D, Labauge P, Riant F, Sarda P, Sznajer Y, Tison F, Ullmann U, Van Maldergem L, Mochel F, Brice A, **Stevanin G***, Durr A* (* colast-authors) for the SPATAx network. A panel study on 412 dominant cerebellar ataxia patients enlightens the frequency of channelopathies. *Brain* 2017; 140:1579-1594. IF 10.3
205. Branchu J, Boutry M, Sourd L, Depp M, Leone C, Corriger A, Vallucci M, Esteves T, Matusiak R, Dumont M, Muriel MP, Santorelli FM, Brice A, Hachimi KH, **Stevanin G***, Darios F* (*colast authors). Loss of spatacsin function alters lysosomal lipid clearance leading to upper and lower motor neuron degeneration. *Neurobiol Dis* 2017; 102:21-37 (advance online february 2017). IF 5
206. Hammer MB, Ding J, Mochel F, Eleuch-Fayache G, Charles P, Coutelier M, Gibbs JR, Arepalli SK, Chong SB, Hernandez DG, Majounie E, Clipman S, Bouhlal Y, Nehdi H, Brice A, Bentati F, **Stevanin G**, Amouri R, Durr A, Singleton AB. SLC25A46 mutations associated with Autosomal Recessive Cerebellar Ataxia in North African families. *Neurodeg Dis* 2017; 17:208-2012. IF 2.8
207. Teyssou E, Chartier L, Amador MDM, Lam R, Lautrette L, Nicol M, Machat S, Da Barroca S, Moigneu C, Mairey M, Larmonier T, Saker A, Dussert C, Forlani S, Fontaine B, Seilhean D, Bohl D, Boillée S, Meininger V, Couratier P, Salachas F, **Stevanin G**, Millecamps S. Novel UBQLN2 mutations linked to Amyotrophic Lateral Sclerosis and atypical Hereditary Spastic Paraparesis phenotype through defective HSP70-mediated proteolysis. *Neurobiol Aging* 2017; 58:239.e11-239.e20 (advance onlive June 24). IF 5.1
208. Morais S, Raymond L, Mairey M, Coutinho P, Brandao E, Ribeiro P, Loureiro JL, Sequeiros J, Brice A, Alonso I, **Stevanin G**. Massive Sequencing of 70 Genes Reveals a Myriad of Missing Genes or Mechanisms to be Uncovered in Hereditary Spastic Paraplegias. *Eur J Hum Genet* 2017; 25:1217-1228 (advance online august 23). IF 4.3
209. Dard R, Meunier C, Touitou V, **Stevanin G**, Lamari F, Durr A, Ewenczyk C, Mochel F. Mutations in DDHD1, encoding a phospholipase A1, is a novel cause of retinopathy and neurodegeneration with brain iron accumulation. *Eur J Med Genet* 2017; 60: 639-642 (advance online Aug 14). IF 2.1

ANNEE 2018

210. Durand CM*, Dhers L*, Tesson C, Tessa A, Fouullen L, Jacquere S, Raymond L, Coupry I, Benard G, Darios F, El-Hachimi KH, Astrea G, Rivier F, Banneau G, Pujol C, Lacombe D, Durr A, Babin PJ, Santorelli FM, Pietrancosta N, Boucher JL, Mansuy D, **Stevanin G***, Goizet C* (* equal contribution). CYP2U1 activity is altered by missense mutations in hereditary spastic paraparesis 56. *Hum Mut* 2018; 39:140-151 (advance online Nov 11 2017). IF 4.6
211. Marelli C, Lamari F, Rainteau D, Lafourcade A, Banneau G, Humbert L, Monin ML, Petit E, Debs R, Castelnovo G, Ollagnon E, Lavie J, Pilliod J, Coupry I, Babin PJ, Guissart C, Benyounes I, Ullmann U, Lesca G, Thauvin-Robinet C, Labauge P, Odent S, Ewenczyk C, Wolf C, **Stevanin G**, Hajage D, Durr A, Goizet C, Mochel F. Plasma oxysterols: biomarkers for diagnosis and treatment in spastic paraparesis type 5. *Brain* 2018; 141:72-84 (Advance online december 8 2017). IF 10.3
212. Trimouille A, Obre E, Banneau G, Durr A, **Stevanin G**, Clot F, Pennamen P, Perez JT, Bailly-Scappaticci C, Rouanet M, Delleci C, Sole G, Mathis S, Goizet C. An in-frame deletion in BICD2 associated with a non-progressive forme of SMALED. *Clin Neurol Neurosurg* 2018; 166: 1-3. IF 1.4
213. Mendoza Ferreira N, Coutelier M, Janzen E, Hosseinibarkooie S, Lohr H, Schneider S, Milbradt J, Karakaya M, Riessland M, Pichlo C, Torres-Benito L, Singleton A, Zuchner S, Brice A, Durr A, Hammerschmidt M, **Stevanin G**, Wirth B. Biallelic CHP1 mutation causes human autosomal recessive ataxia by impairing NHE1 function. *Neurol Genet* 2018; 4:e209.
214. Coutelier M, Brice A, **Stevanin G**, Durr A. Reply: Updated frequency of spinocerebellar atrophy in China. *Brain* 2018; 141:e23 (advance online february 2018). IF 11.3
215. Cagnoli C, Brussino A, Mancini C, Ferrone M, Orsi L, Salmin P, Pappi P, Giorgio E, Pozzi E, Cavalieri S, Di Gregorio E, Ferrero M, Filla A, De Michele G, Gellera C, Mariotti C, Nethisinghe S, Giunti P, **Stevanin G**, Brusco A. SCA Tethering-PCR: a rapid genetic test for the diagnosis of SCA1-3, 6 and 7 by PCR and capillary electrophoresis. *J Mol Diag* 2018; 20:289-297 (advance online february 17). IF 4.6
216. Coutelier M, Hammer MB, **Stevanin G**, Monin ML, Davoine CS, Mochel F, Labauge P, Ewenczyk C, Ding J, Gibbs JR, Hannequin D, Melki J, Toutain A, Laugel V, Forlani S, Charles P, Broussolle E, Thobois S, Afenjar A, Anheim M, Calvas P, Castelnovo G, de Broucker T, Vidailhe M, Moulinier A, Ghnassia RT, Tallaksen C, Mignot C, Goizet C, Le Ber I, Ollagnon-Roman E, Pouget J, Brice A, Singleton A, Durr A, for

- the SPATA network. Efficacy of Exome-Targeted Capture Sequencing to Detect Mutations in Known Cerebellar Ataxia Genes. *JAMA Neurol* 2018, 75(5):591-599. IF 10
217. Newton T, Allison R, Edgar JR, Lumb JH, Roger CE, Manna PT, Rizo T, Kohl Z, Nygren AOH, Arning L, Schule R, Depienne C, Goldberg L, Frahm C, **Stevanin G**, Durr A, Schols L, Winner B, Beetz C, Reid E. Mechanistic basis of an epistatic interaction reducing age at onset in hereditary spastic paraplegia. *Brain* 2018, 141:1286-1299 (advance online Feb 22). IF 11.3
218. Bouwkamp C, Afawi Z, Fattal-Valevski A, Krabbendam I, Rivetti S, Masalha R, Quadri M, Breedveld G, Mandel H, Abu Tailakh M, Beverloo B, **Stevanin G**, Brice A, Van Ijcken W, Vernooy M, Dolga A, de Vrij F, Bonifati V, and Kushner SA. ACO2 homozygous missense mutation associated with complicated hereditary spastic paraplegia. *Neurol Genet* 2018, 4:e223.
219. Elsayed L, Mohammed I, Hamed A, Elseid M, Salih M, Mohamed A, Siddig R, Amin M, Koko M, Elbashir M, Ibrahim M, Brice A, Ahmed A, **Stevanin G**. Case report of a novel homozygous splice site mutation in PLA2G6 gene causing Infantile Neuroaxonal dystrophy in a Sudanese family. *BMC Medical Genetics* 2018, 19:72. IF 2.2
220. Fournier C, Anquetil V, Camuzat A, Stirati-Buron S, Sazdovitch V, Molia-Procel L, Turbant S, Rinaldi D, Sanchez-Valle R, Brabier M, Latouche M, **Stevanin G**, Seilhean D, Brice A, Duyckaerts C, Le Ber I. Interrupted CAG expansions in ATXN2 gene expand the genetic spectrum of frontotemporal dementias. *Act Neuropatho Comm* 2018, 6:41. IF 5.9
221. Boutry M, Branchu J, Lustremont C, Pujol C, Pernelle J, Matusiak R, Seyer A, Poirel M, Chu-Van E, Pierga A, Dobrenis K, Puche JP Caillaud C, Durr A, Brice A, Colsch B, Mochel F, El-Hachimi KH, **Stevanin G***, Darios F* (*co-last authors). Inhibition of lysosome membrane recycling causes accumulation of gangliosides that contribute to neurodegeneration. *Cell Rep* 2018, 23:3813-3826. IF 8.3
222. Ben Romdhane S, Farhat N, Nasri A, Lesage S, Hdjji O, Ben Djebara M, Landoulsi Z, **Stevanin G**, Brice A, Damak M, Gouider R, Mhiri C. LRRK2 G2019S Parkinson's disease with more benign phenotype than idiopathic. *Acta Neurologica Scanda* 2018, 138(5):425-431. IF 3
223. Duchesne A, Vaiman A, Frah M, Floriot S, Rodriguez S, Desmazières A, Fritz S, Beauvallet C, Albaric O, Venot E, Bertaud M, Saintilan R, Guatteo R, Esquerré D, Brice A, Darios F, Villette JL **Stevanin G**, Boichard D, El Hachimi KH. KIF1C loss of function disturbs oligodendrocyte plasma membrane in progressive ataxia of Charolais cattle and provides a reliable model for spastic ataxia in human. *PloS Genet* 2018, 14(8):e1007550. IF 6.1
224. Parodi L, Fenu S, Barbier M, Banneau G, Duyckaerts C, Tezenas du Montcel S, Monin ML, Ait Said S, Guegan J, Tallaksen CME, Sablonniere B, Brice A, **Stevanin G**, Depienne C, Durr A on behalf of the SPATA network. Spastic paraplegia due to SPAST mutations is modifier by the underlying mutation and sex. *Brain* 2018;141(12):3331-3342. IF 11.3
225. Yahia A, Elsayed L, Babai A, Salih MA, El-Sadig SM, Amin M, Koko M, Abubakr R, Idris R, Taha SOMA, Elmalik SA, Brice A, Ahmed AE, **Stevanin G**. Intra-familial phenotypic heterogeneity in a Sudanese family with DARS2-related leukoencephalopathy, brainstem and spinal cord involvement and lactate elevation: a case report. *BMC Neurol* 2018, 18:75. IF 2.2

ANNEE 2019

226. Coarelli G, Schule R, van de Warrenburg BPC, De Jonghe P, Ewenczyk C, Martinuzzi A, Synofzik M, Hamer EG, Baets J, Anheim M, Schöls L, Deconinck T, Masrori P, Fontaine B, Klockgether T, D'Angelo MG, Monin ML, De Bleecker J, Migeotte I, Charles P, Bassi MT, Klopstock T, Mochel F, Ollagnon-Roman E, D'Hooghe M, Kamm C, Kurzwelly D, Papin M, Davoine CS, Banneau G, Tezenas du Montcel S, Seilhean D, Brice A, Duyckaerts C, **Stevanin G**, and Durr A. Loss of paraplegin drives spasticity rather than ataxia in a cohort of 241 SPG7 patients. *Neurology* 2019, 92(23):e2679-e2690. IF 8.7
227. Boutry M, Pierga A, Matusiak R, Branchu J, Houllegatte M, Ibrahim Y, Balse E, El-Hachimi KH, Brice A, **Stevanin G**, Darios F. Loss of spatacsin impairs cholesterol trafficking and calcium homeostasis. *Comm Biol* 2019, 2: 380.
228. Amador MDM, Muratet F, Teyssou E, Banneau G, Danel-Brunaud V, Allart E, Antoine JC, Camdessanché JP, Anheim M, Rudolf G, Tranchant C, Fleury MC, Bernard E, **Stevanin G**, Millecamp S. Spastic paraplegia due to recessive or dominant mutations in ERLIN2 can convert to ALS. *Neurol Genet* 2019, 5(6):e374 (advance online November 13). IF 3.5

ANNEE 2020

229. Roux T, Barbier M, Papin M, Davoine CS, Sayah S, Coarelli G, Charles P, Marelli C, Parodi L, Tranchant C, Goizet C, Klebe S, Lohmann E, Van Maldergem L, Van Broeckhoven C, Coutelier M, Tesson C, **Stevanin G**, Duyckaerts C, Brice A, Durr A for the SPATA network. Clinical, neuropathological and genetic characterization of STUB1 variants in cerebellar ataxias: a frequent cause of predominant cognitive impairment. *Genet Med* 2020, 22(11):1851-1862. IF 8.7

230. Elsayed LEO, Mohammed IN, Hamed AAA, Elseed MA, Salih MAM, Yahia A, Siddig RA, Koko M, Allah ASIA, Elbashir MI, Ibrahim ME, Brice A, Ahmed AE, **Stevanin G**. Novel homozygous missense mutation in the ARG1 gene in a large Sudanese family. *Front Neurol* 2020; 11:569996. IF 2.8
231. Legrand A, Pujol C, Durand C, Mesnil A, Rubera I, Duranton C, Zuily S, Sousa AB, Renaud M, Boucher JL, Pietrancosta N, Adham S, Orssaud C, Marelli C, Casali C, Ziccardi L, Villain N, Ewenczyk C, Durr A, Mignot C, **Stevanin G**, Billon C, Hureaux M, Jeunemaitre X, Goizet C, Albuisson J. Pseudoxanthoma Elasticum overlaps Hereditary Spastic Paraplegia Type 56. *J Inter Med* 2020 (advance online Oct 27) doi: 10.1111/joim.13193. Epub ahead of print. PMID: 33107650. IF 6.9

ANNEE 2021

232. De Sainte Agathe JM, Mercier S, Mahé JY, Péron Y, Buratti J, Tissier L, Kol B, Ait Said S, Le Guern E, Banneau G, **Stevanin G**. RNF170-related hereditary spastic paraparesis: confirmation by a novel mutation. *Mov Dis* 2021;36:771-774 (advance online November 9th 2020). IF 8.7
233. Breza M*, Hirst J*, Chelban V*, Banneau G, Tissier L, Kol B, Bourinariis T, Ait-Said S, Péron Y, Heinemann A, Debs R, Juntas-Morales R, Gonzales Martinez V, Camdessanche JP, Scherer-Gagou C, Zola JM, Athanasiou-Fragkouli A, Efthymiou S, Vavouglis G, Velonakis G, Stamelou M, Tzartos J, Potagas C, Zambelis T, Mariotti C, Blackstone C, Vandrovčová J, Mavridis T, Kartanou C, Stefanis L, Wood N, Karadima G, Leguern E, Koutsis G*, Houlden H*, **Stevanin G*** (*equal contributions). Expanding the spectrum of AP5Z1 – related Hereditary Spastic Paraparesis (HSP-SPG48): a multi-center study on a rare disease. *Mov Dis* 2021, 36:1034-1038. IF 8.7
234. Méreaux J, Firantescu C, Coarelli G, Kvärnungs M, Rodrigues R, Pegoraro E, Tazir M, Taithe F, Valter R, Huin V, Lidström K, Banneau G, Morais S, Parodi L, Coutelier M, Svenssonsson P, Azulay J, Alonso I, Nilsson D, Brice A, LeGuern E, Press R, Vazza G, Loureiro LJ, Goizet C, Durr A, Paucar M, **Stevanin G**. Increasing involvement of CAPN1 variants in spastic ataxias and phenotype-genotype correlations. *Neurogenet* 2021;22:71-79 (Advance online January 23). IF 2.8
235. Yahia A, Chen ZS, Ahmed AE, Emad S, Adil R, Abubaker R, Taha SOMA, Salih MA, Elsayed L, Chan HYE, **Stevanin G**. A heterozygous mutation in the CCDC88C gene likely causes early-onset pure hereditary spastic paraparesis: a case report. *BMC Neurol* 2021, 21:78. IF 2.5
236. Rebelo AP, Eidhof I, Cintra VP, Guillot-Noel L, Pereira CV, Timmann D, Traschütz A, Schöls L, Coarelli G, Durr A, Anheim M, Tranchant C, van de Warrenburg B, Guissart C, Koenig M, Howell J, Moraes CT, Schenck A, **Stevanin G**, Züchner S, Synofzik M on behalf of the PREPARE network. Biallelic Loss-of-Function Variations in PRDX3 Cause Cerebellar Ataxia. *BRAIN* (Advanced online April 23). IF 11.3
237. Angelini C, Goizet C, Said SA, Camu W, Depienne C, Heron B, Kol B, Guillaud-Bataille M, Pennanen P, Rooryck C, Scherer-Garou C, Tissier L, **Stevanin G**, Leguern E, Banneau G. Evidence of mosaicism in SPAST variant carriers in four French families. *Eur J Hum Genet* 2021, 144(5):1467-1481 (advance online May 6). IF 4.4
238. Koko M*, Yahia A*, Elsayed L*, Hamed AA, Mohammed IN, Elseed MA, Hamad MHA, Babai AM, Siddig RA, Abd Allah ASI, Mohamed M, El-Amin M, Esteves T, Altmuller J, Reza Toliat M, Thiele H, Nurnberg P, Salih MA, Ahmed AE, Lerche H, **Stevanin G**. An identical-by-descent novel splice-donor 1 variant in PRUNE1 causes a neurodevelopmental syndrome with prominent dystonia in two consanguineous Sudanese families. *Ann Hum Genet* 2021, 85(5):186-195 (advance online May 26). IF 1.4
239. Schüle R, Timmann D, Erasmus CE, Reichbauer J, Wayand M, **Solve-RD-DIFT-RND**, de Warrenburg B, Schols L, Wilke C, Bevot A, Zuchner S, Bltran S, Laurie S, Matalonga L, Graessner H, Synofzik M & the **Solve-RD consortium**. Solving unsolved rare neurological diseases—a Solve-RD viewpoint. *Eur J Hum Genet* 2021 (advance online May 10).
240. Matalonga L, Hernandez-Ferrer C, Piscia D, Solve-RD-indel working group, Schule R, Synofzik M, Topf A, Vissers LELM, de Voer R, Solve-RD DIFT-GENTURIS, Solve-RD DIFT-ITHACA, Solve-RD DIFT-euroNMD, **Solve-RD DIFT-RND**, Tonda R, Laurie S, Fernandez-Callejo M, Pico D, Garcia-Linares C, Papakonstantinou A, Corvo A, Joshi R, Diez H, Gut I, Hoischen A, Graessner H, Beltran S, the **Solve-RD Consortia**. Solving patients with rare diseases through programmatic reanalysis of genome-phenome data. *Eur J Hum Genet* 2021, 29(9):1337-1347 (advance online June 1st).
241. Zurek B, Ellwanger K, Vissers LELM, Schule R, Synofzik M, Topf A, de Voer RM, Laurie S, Matalonga L, Gilissen C, Ossowski S, t’Hoen PAC, Vitobello A, Schulze-Hentrich JM, Riess O, Brunner HG, Brookes AJ, Rath A, Bonne G, Gumus G, Verloes A, Hoogerbrugge N, Evangelista T, Harmuth T, Swertz M, Spalding D, Hoischen A, Beltran S, Graessner H & **Solve-RD consortium**. Solve-RD: systematic pan-European data sharing and collaborative analysis to solve rare diseases. *Eur J Hum Genet* 2021 (advance online June 1st).
242. Winter J, Beijer D, De Ridder W, Synofzik M, Zuchner SL; **PREPARE consortium**, Van Damme P, Spileers W, Baets J. PCYT2 mutations disrupting etherlipid biosynthesis: phenotypes converging on the CDP-ethanolamine pathway. *Brain*. 2021, 144(2):e17.
243. Yahia A, Elsayed LEO, Valter R, Hamed AAA, Mohammed IN, Elseed MA, Salih MA, Esteves T, Auger N, Abubaker R, Koko M, Abozar F, Malik H, Adil R, Emad S, Alhassan Musallam M, Idris R, Eltazi IZM, Babai A, Ahmed EAA, Abd Allah ASI, Mairey M, Ahmed AKMA, Elbashir MI, Brice A, Ibrahim ME, Ahmed

- AE, Lamari F, and **Stevanin G**. Pathogenic variants in ABHD16A cause a novel psychomotor developmental disorder with spastic paraplegia. *Front Neurol* 2021; 12:720201 (advance online august 2021).
244. Pujol C, Legrand A, Parodi L, Thomas P, Mochel F, Saracino D, Coarelli G, Aradjanski M, Popovic M, Valet M, Villain N, Elshafie S, Issa M, Zuly S, Renaud M, Marelli-Tosi C, Legendre M, Trimouille A, Kemlin I, Mathieu S, Gleeson JG, Lamari F, Galatolo D, Alkouri R, Tse C, Rodriguez D, Ewenczyk C, Fellmann F, Kuntzer T, Blond E, El Hachimi KH, Darios F, Seyer A, Gazi A, Giavalisco P, Perin S, Boucher JL, Le Corre L, Santorelli FM, Goizet C, Zaki M, Picaud S, Mourier A, Steculorum S, Mignot C, Durr A, Trifunovic A, and **Stevanin G**. Implication of Folate Deficiency in CYP2U1 loss of function. *J Exp Med* 2021; 218(11):e20210846 (advance online september 2021).
245. Méreaux JL*, Banneau G*, Papin M, Coareli G, Valter R, Raymond L, Kol B, Ariste O, Parodi L, Tissier L, Mairey M, Ait-Said S, Gautier C, Guillaud-Bataille M, the French SPATAx clinical network, Forlani S, de la Grange P, Brice A, Vazza G, Durr A, Leguern E*, **Stevanin G***. Clinical and genetic spectra of 1550 index patients with hereditary spastic paraparesis. *BRAIN* (in press).
246. Coutelier M, Jacoupy M, Janer A, Renaud F, Auger N, Saripella GV, Ancien F, Pucci F, Rooman M, Gilis D, Larivière R, Sgarioto N, Valter R, Guillot-Noel L, Le Ber I, Sayah S, Charles P, Numann A, Pauly MG, Helmchen C, Deininger N, Haack TB, Brais B, Brice A, Trégouët DA, El Hachimi KH, Shoubridge EA, Durr A, **Stevanin G**. NPTX1 mutations trigger endoplasmic reticulum stress and cause autosomal dominant cerebellar ataxia. *BRAIN* 2021 (advance online Nov 11 2021).

REVUES

ANNEE 1998

- Stevanin G**, David G, Abbas N, Yvert G, Agid Y, Brice A. Ataxie cérébelleuse autosomique dominante avec dystrophie maculaire progressive : un modèle d'étude des maladies dues à une expansion de polyglutamine. *médecine/sciences* (Masson-Paris) 1998;14:758-763.
- David G, Abbas N, Dürr A, **Stevanin G**, Cancel G, Yvert G, Imbert G, Saudou F, Mandel J-L, Agid Y, Brice A. Autosomal dominant cerebellar ataxia with macular dystrophy (SCA7) is caused by a highly unstable CAG repeat expansion. In "Genetic instabilities and hereditary neurological diseases", RD Wells and ST Warren, eds. Academic Press, 1998, Chapter 21, pp273-282.
- Stevanin G**, David G, Abbas N, Dürr A, Holmberg M, Duyckaerts C, Cancel G, Mandel J-L, Brice A. Spinocerebellar ataxia 7. In "Analysis of triplet repeat disorders", DC Rubinsztein and MR Hayden, eds. BIOS Scientific Publishers Ltd, Oxford, 1998, Chapter 10, pp155-168.

ANNEE 2000

- Stevanin G**, Dürr A, Brice A. Clinical and molecular advances in autosomal dominant cerebellar ataxias: from genotype to phenotype and physiopathology. *Eur J Hum Genet* 2000; 8:4-18.
- Stevanin G**, Durr A, Brice A. Spinocerebellar ataxia type 7. In "Handbook of ataxia disorders", T Klockgether, series of Neurological disease and therapy ed. Marcel Dekker, NY, 2000. Vol 50, chapter 23, pp469-486.

ANNEE 2001

- Stevanin G**, Lebre A-S, Zander C, Cancel G, Dürr A, Brice A. Autosomal dominant cerebellar ataxia with progressive pigmentary macular dystrophy. In "The Cerebellum and its disorders", MU Manto & M Pandolfo, eds. Cambridge University Press, Cambridge 2001. Chapter 32, pp459-468.

ANNEE 2002

- Lebre AS, **Stevanin G**, Brice A. Spinocerebellar ataxia 7. In "Genetics of movement disorders", Pulst S, ed. Academic Press, Elsevier Science, San Diego 2002. Chapter 9, pp85-94.
- Fujigasaki H, **Stevanin G**, Brice A. Spinocerebellar ataxias 13, 14 and 16. In "Genetics of movement disorders", Pulst S, ed. Academic Press, Elsevier Science, San Diego 2002. Chapter 14, pp133-138.

Stevanin G, Durr A, Brice A. Spinocerebellar ataxias caused by polyglutamine expansions. In "Triplet repeat diseases of the nervous system", Timchenko LT, ed. Landes Bioscience/Eurekah.com, NY. *Adv Exp Med Biol* 2002, 516:47-77.

ANNEE 2004

Stevanin G, Brice A. La génétique moléculaire des affections monogéniques : les ataxies cérébelleuses autosomiques dominantes. *Mouvements* 2004;5(3-4);75-87.

ANNEE 2005

Stevanin G, Durr A, Benamar N, Brice A. Spinocerebellar ataxia with mental retardation (SCA13). *The Cerebellum* 2005, 4:43-46.

Stevanin G, Broussolle E, Streichenberger N, Kopp N, Brice A, Durr A. Spinocerebellar ataxia with sensory neuropathy (SCA25). *The Cerebellum* 2005, 4:58-61.

ANNEE 2006

Stevanin G, Brice A. Spinocerebellar ataxia 17 and Huntington's disease like 4. In "Genetic instabilities and hereditary neurological diseases, second edition", RD Wells and T Ishizawa, eds. Elsevier, 2006, chapter 32, p 475-483.

ANNEE 2007

Stevanin G, Durr A, Brice A. Clinical and genetic aspects of spinocerebellar ataxias with emphasis on polyglutamine expansions. In « Spinocerebellar degenerations: the ataxias and spastic paraplegias », A Brice and S Pulst, eds. Blue books of Neurology, vol 31. Elsevier, 2007. Section III, chapter 4: 113-144.

Depienne C, **Stevanin G**, Brice A, Durr A. Hereditary Spastic Paraplegias - an update. *Curr Op Neurol* 20:674-680.

ANNEE 2008

Stevanin G, Brice A. Spinocerebellar ataxia 17 (SCA17) and Huntington's disease like 4 (HDL4). *The Cerebellum* 2008, 7: 170-178 (Advance online March 26).

Stevanin G, Durr A, Brice A. Spastic Paraplegia Type 11 in: GeneReviews at GeneTests: Medical Genetics Information Resource [database online]. Copyright, University of Washington, Seattle, 1997-2008. Available at <http://www.genetests.org>. 2008 (Online March 2008, updated September 2009).

Stevanin G, Ruberg M, Brice A. Recent advances in the Genetics of Spastic Paraplegias. *Cur Neurol Neurosci Rep* 2008, 8:198-210.

ANNEE 2009

Stevanin G. Transport axonal et maladies neurodégénératives. Neurologie.com (John Libbey Eurotext) 2009, 1:66-67.

ANNEE 2010

Stevanin G and Durr A (2010) SCA5. In: Kompoliti K, and Verhagen Metman L (eds.) Encyclopedia of Movement Disorders, vol. 3, pp. 69-71. Oxford: Academic Press.

Stevanin G, Durr A and Brice A (2010) SCA3, Machado-Joseph Disease. In: Kompoliti K, and Verhagen Metman L (eds.) Encyclopedia of Movement Disorders, vol. 3, pp. 64-67. Oxford: Academic Press.

Stevanin G, Sittler A and Brice A (2010) SCA7, Spinocerebellar Ataxia with Macular Dystrophy. In: Kompoliti K, and Verhagen Metman L (eds.) Encyclopedia of Movement Disorders, vol. 3, pp. 75-78. Oxford: Academic Press.

Stevanin G. Molecular Genetics of Hereditary Spastic Paraplegias. In: ENCYCLOPEDIA OF LIFE SCIENCES 2010, John Wiley & Sons, Ltd: Chichester <http://www.els.net/> [DOI: 10.1002/9780470015902.a0022419].

Charles P, Depienne C, **Stevanin G**, Brice A, Durr A. Les paraparésies spastiques héréditaires. *Pratique Neurol* 2010 ; 1 :181-190.

ANNEE 2011

- Stevanin G**, Depienne C, Boukhris A, Goizet C. Paraplégies spastiques héréditaires (Chapitre 14). In "Neurogénétique", collection Traité de neurologie, eds Depienne C, Goizet C, Brice A. Doin, 2011 ; pp207-225.
- Anheim M, Goizet C, **Stevanin G**. Ataxies cérébelleuses héréditaires (Chapitre 13). In "Neurogénétique", collection Traité de neurologie, eds Depienne C, Goizet C, Brice A. Doin, 2011 ; pp183-206.
- Marelli C, Cazeneuve C, Brice A, **Stevanin G**, Durr A. Autosomal dominant cerebellar ataxias. *Rev Neurol* 2011, 167: 385-400 (advanced online May 4).

ANNEE 2012

- Stevanin G**, Durr A. Spinocerebellar ataxia 13 and 25 (Chapter 35). In Handbook of Clinical Neurology, 3rd edition, Ataxic Disorders, SH Subramony and A Durr, eds. Elsevier 2011. Handb Clin Neurol 2012, 103: 549-553.
- Finsterer J, Löscher W, Quasthoff S, Wanschitz J, Auer-Grumbach M, **Stevanin G**. Hereditary spastic paraplegias with autosomal dominant, recessive, X-linked or maternal trait of inheritance. *J Neurol Scie* 2012, 218 :1-18.
- Goizet C, Anheim M, **Stevanin G**. Les ataxies cérébelleuses autosomiques dominantes. *Revue pratique neurologique FMC* 2012, 3 :1-13.

ANNEE 2013

- Stevanin G**, Dürr A, Brice A. Spastic Paraplegia 11. 2008 Mar 27 [Updated 2013 Jan 31]. In: Pagon RA, Adam MP, Bird TD, et al., editors. GeneReviews® [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2014. Bookshelf ID: NBK1210PMID: 20301389. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK1210/>

ANNEE 2014

- Matilla-Dueñas A, Ashizawa T, Brice A, Magri S, McFarland KN, Pandolfo M, Pulst SM, Riess O, Rubinstein DC, Schmidt J, Schmidt T, Scoles DR, **Stevanin G**, Taroni F, Underwood BR, Sanchez I. Consensus Paper: Pathological Mechanisms underlying neurodegeneration in Spinocerebellar Ataxias. *The Cerebellum* 2014;13(2):269-302 (advance online December 5th, 2013).
- Puech B, De Laey JJ, **Stevanin G**. Chapter 31: Spastic paraplegia and retinal degeneration: Kjellin Syndrome. B. In Puech B, De Laey JJ & Holder GE (eds.), Inherited Chorioretinal Dystrophies, Springer-Verlag Berlin Heidelberg, 2014; pages 307-313.
- Puech B, **Stevanin G**, Zanolonghi X. Chapter 28: Spinocerebellar ataxia 7. In Puech B, De Laey JJ & Holder GE (eds.), Inherited Chorioretinal Dystrophies, Springer-Verlag Berlin Heidelberg, 2014; pages 287-292.

ANNEE 2015

- Tesson C, Koht J, **Stevanin G**. Delving into the complexity of hereditary spastic paraplegias: how unexpected phenotypes and inheritance modes are revolutionizing their nosology. *Hum Genet* 2015; 134(6):511-538 (advance online March 11).
- Coutelier M, **Stevanin G**, Brice A. Genetic landscape remodelling in spinocerebellar ataxias: the influence of next-generation sequencing. *J Neurol* 2015, 262:2382-2395 (advance online April 11).
- Klebe S, **Stevanin G**, Depienne C. Clinical and genetic heterogeneity in hereditary spastic paraplegias: from SPG1 to SPG72 and still counting. *Rev Neurol (Paris)* 2015, 171:505-530 (advance online May 22).

ANNEE 2017

- Stevanin G**, Sittler A, Puech B. SCA7 (Spinocerebellar ataxia with macular dystrophy). In Reference Module in Neuroscience and Biobehavioral Psychology, Elsevier, 2017. ISBN 9780128093245
- Stevanin G**, Durr A. SCA-5 (spinocerebellar ataxia 5). In Reference Module in Neuroscience and Biobehavioral Psychology, Elsevier, 2017. ISBN 9780128093245
- Parodi L, Fenu S, **Stevanin G**, Durr A. Hereditary spastic paraplegia: more than an upper motor neuron disease. *Rev Neurol (Paris)* 2017, 173:352-360.

ANNEE 2018

- Boutry M, **Stevanin G**. Molecular Genetics of Hereditary Spastic Paraplegias (V2). In: ENCYCLOPEDIA OF LIFE SCIENCES 2018, John Wiley & Sons, Ltd: Chichester <http://www.els.net/> [DOI: 10.1002/9780470015902.a0022419.pub2].
- Stevanin G**, Alves S, Durr A. SCA3, Machado-Joseph disease. In Reference Module in Neuroscience and Biobehavioral Psychology, Elsevier, 2018. ISBN 9780128093245
- Parodi L, Coarelli G, **Stevanin G**, Brice A, Durr A. Hereditary ataxias and paraparesias: clinical and genetic update. *Curr Opin Neurol*. 2018;31:462-471. IF 4

ANNEE 2019

- Boutry M, Morais S, **Stevanin G**. Update in hereditary spastic paraplegia. *Cur Neurosci Rep.* 2019;19(4):18. IF 3.5
- Elsayed L, Ahmed A, & **Stevanin G**. (2019). Neurogenetic Disorders in Africa: Hereditary Spastic Paraplegia: A Case Study. In M Ibrahim & C Rotimi (Eds.), The Genetics of African Populations in Health and Disease (Cambridge Studies in Biological and Evolutionary Anthropology, pp. 311-319). Cambridge: Cambridge University Press. doi:10.1017/9781139680295.013
- Elsayed LEO, Eltazi IZM, Ahmed AEM, **Stevanin G**. Hereditary spastic paraplegias: time for an objective case definition and a new nosology for neurogenetic disorders to facilitate biomarker/therapeutic studies. *Expert Rev Neurother* 2019;19(5):409-415 (Advance online April 30). IF 3.7
- Stevanin G**. Spastic Paraplegia 11. 2008 Mar 27 [Updated 2019 Dec 19]. In: Adam MP, Ardinger HH, Pagon RA, et al., editors. GeneReviews® [Internet]. Seattle (WA): University of Washington, Seattle; 1993-2019. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK1210/>

ANNEE 2020

- Darios F, Mochel F, **Stevanin G**. Lipids in the physiopathology of hereditary spastic paraplegias. *Front Neuroscie* 2020; 14:74. IF 3.7
- Darios F, **Stevanin G**. Impairment of lysosome function and autophagy in rare neurodegenerative diseases. *J Mol Biol* 2020, 432:2714-2734 (advance online March 5). IF 4.7

ANNEE 2021

- Yahia A, **Stevanin G**. The history of gene hunting in hereditary spinocerebellar degeneration: lessons from the past and future perspectives. *Front Genet* 2021 (advance online March 23rd 2021). IF 3.5
- Martinuzzi A, Blackstone C, O'Kane C, **Stevanin G**. Hereditary Spastic Paraplegias: Intersecting Molecular Pathways and Clinical Syndromes (editorial). *Front Neurosci Neurodeg* (Advance online June 22). IF 3.6
- Toupenet L*, Leblanc M*, **Stevanin G**. Current Knowledge of Endolysosomal and Autophagy Defects in Hereditary Spastic Paraplegia. *Cells* 2021, 10: 1678. IF 6.6
- Traschütz A, Reich S, Adarnes AD, Anheim M, Ashrafi MR, Baets J, Basak AN, Bertini E, Brais B, Gagnon C, Gburek-Augustat J, Hanagasi HA, Heinzmann A, Horvath R, de Jonghe P, Kamm C, Klivenyi P, Klopstock T, Minnerop M, Münchau A, Renaud M, Roxburgh RH, Santorelli FM, Schirinzi T, Sival DA, Timmann D, Vielhaber S, Wallner M, van de Warrenburg BP, Zanni G, Zuchner S, Klockgether T, Schüle R, Schöls L, **PREPARE Consortium** and Synofzik M (2021) The ARCA Registry: A Collaborative Global Platform for Advancing Trial Readiness in Autosomal Recessive Cerebellar Ataxias. *Front Neurol* 2021, 12:677551.

AUTRES PUBLICATIONS

VULGARISATION SCIENTIFIQUE

Stevanin G. Le point sur les formes génétiques d'ataxie cérébelleuse. Bulletin de l'association Connaitre les syndromes cérébelleux. 2001. Numéro 11.

Gilles O, Delion E, **Stevanin G.** Compte rendu de la réunion du réseau SPATAX. Bulletin de l'association Connaitre les syndromes cérébelleux. 2001. Numéro 11.

Stevanin G, Camuzat A. La maladie de Huntington. Série « les maladies neurodégénératives ». Fêtes de la Science, Octobre 2001.

Participation aux Journées de la Science. Ministère de la Recherche, Stand INSERM, Paris, Octobre 2001.

Stevanin G, Brice A, Elleuch N. Nouveautés dans l'identification des formes génétiques d'ataxies cérébelleuses. Bulletin de l'association Connaitre les syndromes cérébelleux. 2005. Numéro 18 (mai-septembre 2005).

Stevanin G / Forlani S / Orloff N / Kao C, Leger A.. Les métiers de la recherche et de l'enseignement. Forum des métiers. Etablissement scolaire Sœur Rosalie-Louise de Marillac, Paris : 26 novembre 2005.

Forlani S, **Stevanin G.** Du progrès dans les ataxies dominantes. Bulletin de l'association Connaitre les syndromes cérébelleux. 2006. n°20, pages 15-17.

Latouche M, **Stevanin G.** Utilisation de la Drosophile pour identifier des voies d'intérêt thérapeutique pour l'ataxie SCA7. Bulletin de l'association Connaitre les syndromes cérébelleux. 2006. n°20, page 14.

Latouche M, Janer A, Sittler A, **Stevanin G.** Nouveaux modèles de l'ataxie SCA7 et perspectives thérapeutiques. Bulletin de l'association Connaitre les syndromes cérébelleux. 2007. n°22, pages 18-19.

Rustin P, Delion E, **Stevanin G**, Bénard J. Information aux donneurs. Publié online sur le site de Connaitre les Syndromes Cérébelleux, 20 janvier 2010.

DIVERS

Stevanin G. Animal models of spinocerebellar ataxias. **Atelier INSERM n°151**, Neurodegenerative diseases and their models. La Londe-les-Maures, 6-8 Mai 2004.

Raymond L, Mundwiller E, Depienne C, Banneau G, Gautier C, Morais S, Cazeneuve C, Brice A, Leguern E, Durr A, Marie Y, **Stevanin G.** Double capture and multiplexing for targeted sequencing in hereditary spastic paraplegias (SPG). Sequencing solution application note, Roche, janvier 2014.